INDEX TO VOLUME 76

The Index for Volume 76 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

Acetone recovery system, biofouling in 351–352
Acid and alkaline phosphatase in oogonia/antheridia 88–98
Acid phosphatase
activity 700, 701, 702f, 703; asci 67–72; inhibition by vanadate 700, 701, 702f, 703; localization 67–72, 85–97; spores and hyphae 612
Adaptive role of laticiferous hyphae 357
Aflatoxin 665, 668
Agaricales, families of 1059
AIDS 375
Ajello, L. See Matsumoto et al. 232
Aldrich, H. C., and J. W. Daniel (Eds.) Cell biology of Physarum and Didymium, Vol. 2; review 381
Alga 719–721
Aliaga, G. R., and J. T. Ellzey. Ultrastructural localization of acid and alkaline phosphatase in Achlya recurva oogonia 85–98
Alkaline phosphatase, localization 85–97
Allen, M. F., J. A. MacMahon, and D. C. Andersen. Reestablishment of Endogonaceae on Mount St. Helens: survival of residuals 1031–1038
Amanita poisoning, case histories 448–453
Amon, J. P. Rhizophydium littoreum: a chytrid from siphonaceous marine algae—ultrastructure 132–139
Anagnostakis, S. L., and D. E. Aylor. Effect of temperature on growth of Endothia (Cryphonectria) parasitica in vitro and in vivo 387–397
Analysis of ribosomal proteins in Fusarium 533–543
Anamorphs 12, 23, 166, 168, 283, 293–297, 376, 1011, 1013, 1017
Maravalia species 896–909; Xylaria species 912–914, 916f, 917, 918f, 919–921
Andersen, D. C. See Allen et al. 1031
Antagonistic relationships and autofluorescence 1051, 1053, 1054f, 1055
Anthracnose of green beans, disease resistance mechanisms in 768–770
Antibody production 195
Antigen extraction 52, 55
Anti-Tilletia sera 52, 53
Ants and succession of mycorrhizal fungi 1031–1037
Apical wall of spores, in gill fungi 1063, 1064
Apomictic
and heterothallics 785–791; clonal line, synaptonemal complex in 1123–1125; life cycle, in Mycomycetes 790f
Apothecium
conditions for production 323; development 319–321, 820–828; differentiation and initiation 318, 319; effect of host and weather on 321, 322; production 314–323
Aquatic fungi 63, 1039–1047
Hyphomycetes 398–406; respiration in 804–808
Arbuscular mycorrhizal fungus 250–255
Arsuffi, T. L. See Suberkropp and Arsuffi 398
Asci, acid phosphatase in 67–72
Ascomycete and mycorrhizal root system 675–683
Asymmetric penicillias, nomenclature in 409
ATP determination, in spores 609–611
Aylor, D. E. Se Anagnostakis and Aylor 387
Azygospores, colonization of by Spizellomyces 99–106

Bacon, C. W. See Rykard et al. 1095
Baker, C. J. See Melhuish et al. 161
Ballistosporous protostelid 443–446
Bandoni, R. J. See Oberwinkler et al. 9
———, and G. C. Hughes. New Dacrymyces 63–66
Banowetz, G. M., E. J. Trione, and B. B. Krygier. Immunological comparisons of teliospores of two wheat bunt fungi 51–61
Barron, G. L., and E. Szijarto. Fungal parasites of bdelloid rotifers: new Phialophora 1107–1110
Basidial morphology 14, 15f
Basidiomycete sexuality 633–640
Basidiomycetes, cystidia stained 941
Basidiomycetous yeasts 9
Basidiospores
germination 10; structure 10; ultrastructure of development 486, 487, 488f
Bauer, R. See Oberwinkler et al. 9
Belsky, M. M., S. Goldstein, and S. Sesnowitz-Horn. Factors affecting endogenous respiration in a freshwater fungus 804–809
Bennett, W. E. See Olive et al. 884
Berch, S. M., and J. A. Fortin. Lectotype for Glomus microcarpum 190–193
Betterley, D. A., and O. R. Collins. Vegetative incompatibility and myxomycete biology 785–792
Bills, G. F., and O. K. Miller, Jr. Southern Appalachian Russulas. I. 975–1002
Biochemical
determination of spore and hyphal viability 608–613; studies of fungal isolates from humans 234, 236
Biodegradation of lignocelluloses 369–371
Biofouling 351–352
Biogeography 140
Biological control 256, 387, 936, 939
Black mildews 793–802
Blackwell, M., and R. L. Gilbertson. New infor-

mation on Cordycepioideus bisporus and Cordycepioideus octosporus 763–765
———, J. Vande Waa, and M. Reynolds. Survival of myxomycete sclerotia after exposure to high temperatures 752–754
Bloom, J. See Daniels and Bloom 953
Boletales, families of 1059
Boletes, numerical taxonomic analyses of 140–146
Book reviews 380–386
Brown rot 40, 43, 46, 314
Butler, E. E. [Review of] Phytophthora: its biology, taxonomy, ecology, and pathology 380

Caddisfly detritivores 398–407
Camazine, S., and A. T. Lupo, Jr. Labile toxic compounds of the Lactarii 355–358
Camphylidia 108
Cannon, C. See Thompson and Cannon 567
Capillitial morphology in myxomycetes 652, 657f–659f, 661
Carmichael, J. W. See Goettel et al. 614
Carotenoid pigments 268–272
Carter, J. C. 577
Chalk brood fungus, life cycle of 830–841
Chang, S. T., and T. H. Quimio (Eds.) Tropical mushrooms: biological nature and cultivation methods; review 383–384
Chemical
characters in gill fungi 1065–1066; races in lichens 157
Chemistry of lichens 148–159
Chemotaxis 101
Chemotypes of lichens 157, 158
Chestnut blight 387–397
Ching, T. M. See Yu et al. 608
Chlamydospores of E-strain mycorrhizal fungi 675
Christiansenia pallida, life cycle of 11f
Chromatography 148–159
Chromoblastomycosis 232, 244, 246
Chrysocystidia 940–942
Chytids in spores of fossil vascular plant 545, 546f
Citreoviridin 943, 944, 959–961
Clark, J. Lifespans and senescence in slime molds 366–369
———. Three-clone Didymium iridis crosses and plasmodial incompatibility phenotype 810–815
Clinical aspects of Wangiella dermatitidis 237–239
Cohen, S. D. Detection of mycelium and oospores of Phytophthora megasperma f. sp. glycinea 34–38
Cole, R. J. See Wicklow and Cole 959
Collins, O. R. See Betterley and Collins 785
———. See Gaither and Collins 650, 1123
Colonization, mycorrhizal fungi 1031–1037
Comparison of four marine chytrids 137
Competition 873–883
Conidial ontogeny 167–169, 310, 743, 744
Conidiation in pycnidia 863–867
Conidiogenesis 1095–1103
Conidiogenous cells and conidia 14
Conidiomata 311
Conidium
development in mosquito pathogen 618f, 619, 620f, 621; production 359–361
Conjugation 12
Conjugation tests, in Achlya 602–606
Coprophilous fungi 748
Corn, sclerotia in 503–505
Correlative microscopy 462–466
Cotton-gin trash, biodegradation of 369–371
Cotton seeds, mode of entry into 665–668
Cottonwood, decay fungi and 548–550
Cover glass culture method 462, 463f, 464, 466
Crane, J. L. See Himelick and Crane 577
Croghan, C. G. Survey for mycorrhizal fungi in Lake States tree nurseries 951–953
Cropping 123
Crustose lichens 148
Cucurbit diseases, immunization against 770–772
Culberson, C. F., M. E. Hale, Jr., T. Tønsberg, and A. Johnson. New depsides from lichens 148–160
Culture media degradation 161
Culture of Sphaerobolus fruit bodies 944–946
Curative strains in Endothia 387
Cystidia staining 940–942
Cystogenous plasmodia, meiosis in 1075–1087

Danielson, R. M. Ectomycorrhiza formation by the operculate discomycete Sphaerosporella brunnea 454–461
Dargan, J. S., M. Singh, and J. D. Rogers. Note on Helicogermslita celastri 1113–1114
Deasey, M. C. See Olive et al. 884
Decay fungi 548–550
Dedikaryotization 760
Degradation
by hyphomycetes 398–407; of algae 426–431
De Hoog, G. S., and R. J. Scheffer. Ceratocystis versus Ophiostoma: a reappraisal 292–299
Dematiaceae
carotenoid pigments in 268–272; hydrolase studies of 220
Deml, G. See Oberwinkler et al. 9
Depsides 148–160
Deschene, A. See Jabaji-Hare et al. 1024
Detection of
mycelium 34; oospores 34
Developmental genetics 760–762
Dialdehydes 356–358
Dimeriaceous fungi 793–803
Dimorphism 9
Diphenylamine, effect of 269, 270
Disc electrophoresis 194, 196
Discomycete and mycorrhizae 675
Disease resistance mechanisms 767–779
Diseases of cucurbits, resistance mechanisms in 770–772
Distribution
Amanita 555, 557; Monilinia species 316, 317
DNA fluorescence 462–466
Dominik, T. 173–174
Downy mildews on Compositae 705–707, 711, 714–716

Dowsett, J. A., J. Reid, and R. S. Kalkat. New species of Arthrobotrys from soil 559–562
———, ———, and ———. New species of Dactylella 563–566
Dry-season survival 1111, 1112
Dumont, K. P. See Lowen and Dumont 1003
Dunn, P. H. See Reynolds and Dunn 719
Dutch elm disease 256
Dykstra, M. J., and D. Porter. Diplophrys marina, a new scale-forming marine protist with labrinthulid affinities 626–632
Dylewski, D. P., and C. E. Miller. Ultrastructure of meiosis in Woronina pythii (Plasmodiophoromycetes) 1075–1088

Eboh, D. O. Taxonomic survey of Nigerian rust fungi: III. 179–189
Ecology of penicillias 218–230
Ectendomycorrhizae 675–683
Ectomycorrhizae 437, 579–597, 758, 759
Ectomycorrhiza formation 454–460
Ectomycorrhizal fungi 633–640
Ectotrophs, of Suillus 579–597
Effects of volatile substances on apothecium development 820–828
Electron microscopy, correlated with light microscopy 462–466
Electrophoretic patterns for Myxomycetes 200f
Elicitors in disease resistance 774, 775
Ellzey, J. T. See Aliaga and Ellzey 85
Endogenous respiration 804–808
Endogonaceous mycorrhizal fungi 122
Endoparasite, ultrastructure of 1039–1047
Enhancers in disease resistance 775, 776
Entomogenous fungi 256–259, 763–765
Entomopathogen 614–623, 670–674
Entomophthoralean spores, nuclear reduction in 1104–1106
Enzyme activities, in spores and hyphae 610–612
Enzymes
immunoassay 51, 54; production 643–648
Eocene foliicolous ascomycete 720
Epigeous Ascomycotina 170
Epiphylious lichens 108–112
Erratum 379
Erwin, D. R., S. Bartnicki-Garcia, and P. H. Tsao (Eds.) Phytophthora: its biology, taxonomy, ecology, and pathology; review 380
Eslyn, W. E., and F. F. Lombard. Fungi associated with decayed wood in stored willow and cottonwood logs 548–550
E-strain mycorrhizal fungi 675–683
Ethanol production 515–522
Evans, R. C., and M. O. Garraway. Effect of nitrogen source and vitamins on ethanol and pyruvate production by Bipolaris maydis Race T 515–522
Evolutionary series 6
Evolution of Acacia rusts 344
Exoantigen tests 234, 237

Fabric degradation 868–872
Families, host of Maravalia species 896
Farentinos, R. C. See Kotter and Farentinos 758
Farr, M. L. Didymosporous dimeriaceous fungi on leaves of Rubiaceae 793–803
Fatty acids 326–330
and disease resistance 776–778
Federici, F. Glucoamylase production by Aureobasidium pullulans 643–649
Fimicolous fungi 551–554
Flegler, S. L. Improved method for production of Sphaerobolus fruit bodies in culture 944–946
Flotation chamber for salinity tolerance studies 373, 374f
Fluorescein
diacetate 38; isothiocyanate stain 195
Fluorescence microscopy and viability 1049–1057 1057
Fluorescent
antibody stain 194; assay 608
Folks, T. See Kwon-Chung et al. 375
Foot rot of cucumber 115
Fort, F., and J. Guarro. Cristaspora, new genus of Eurotiales 1115–1118
Fortin, J. A. See Berch and Fortin 190
Fossil vascular plant 545
Fries, N., and G. M. Mueller. Incompatibility systems, cultural features, and species circumscriptions in ectomycorrhizal genus Laccaria 633–642
Frisvad, J. C. See Söderström and Frisvad 408
Fumigation effects 122
Fungal antagonists 256, 257, 259
Fungal bodies in fossil vascular plant 545, 546
Fungal
differentiation by polyclonal rabbit antisera 60; ecology 218–230; genetics 760–762; modification of leaves 399–403; regulation of resistance 767–779
Fungi
associated with deterioration 548–550; in phytonematode cysts 211–217; isolated from humans 232–246
Fungus-like alga 719–721

Gaither, T. W., and O. R. Collins. Comparative SEM observations of sporophore characteristics in three species of Didymium 650–664
———, and ———. Synaptonemal complexes in apomictic line of Stemonitis flavogenita 1123–1125
Gametangial thalli, effect of light on 420–425
Gardner, D. E. See Hodges and Gardner 332
Garraway, M. O. See Evans and Garraway 515
Geis, P. A., and P. J. Szaniszlo. Carotenoid pigments of Wangiella dermatitidis 268–273
Gemma, J. N., G. C. Hartmann, and S. S. Wasti. Inhibitory interactions between Ceratocystis ulmi and entomogenous fungi 256–260
Genetics, of Myxomycetes 785–791
Germination 1049–1057
and ATP content in spores 610, 611; penicillia spores in soil 525f; resting spores 1104; spores of penicillia 523–527; ultrastructure of, in oospores 924–934

Gilbertson, R. L. See Blackwell and Gilbertson 763
Gill fungi, classification of 1059–1073
Gintis, B. O. See Morgan-Jones et al. 211
Glawe, D. A. Bloxamia truncata in artificial culture 741–745
———. Cryptosphaeria pullmanensis, a new species 166–169
Glucoamylase production 643–648
Glucosidase activity in spores 612
Gochenaur, S. E. Fungi of a Long Island oak-birch forest. II. Population dynamics and hydrolase patterns for the soil penicillia 218–231
———. See Sheehan and Gochenaur 523
Goettel, M. S., L. Sigler, and J. W. Carmichael. Studies on mosquito pathogenic hyphomycete Culicinomyces clavisporus 614–625
Goldstein, S. See Belsky et al. 804
Gong Longyin. See Ho et al. 115, 745
Goos, R. D. Case of mushroom poisoning involving Tricholomopsis platyphylla 350–351
Gophers and succession of mycorrhizal fungi 1031–1037
Gottwald, R. T., and B. W. Wood. Effect of fatty acids on growth and sporulation of Cladosporium caryigenum 326–331
Growth
  affected by fatty acids 326–330; curves for Myxomycetes 197f, 198f; inhibition by vanadate 700, 701, 702f, 703; rates 387–397
Grund, D. W., and D. E. Stuntz. Nova Scotian Inocybes VIII. 733–740
Guarro, J. See Fort and Guarro 1115
Gynandromixis 601, 603

Hale, M. E. Jr. See Culberson et al. 148
Hanlin, R. T., and O. Tortolero. Unusual tropical powdery mildew 439–442
———. See Roberts et al. 963
———. Ustilago sieglingiae on purple sandgrass in Georgia 1118–1120
Harada, Y. See Willetts and Harada 314
Harrison, K. A. Creolophus in North America 1121–1123
Hartmann, G. C. See Gemma et al. 256
Haskins, E. F. [Review of] Cell biology of Physarum and Didymium, Vol. 2. 381
Haustoria 11, 14
Hayward, D., and H. D. Thiers. Gyrodon lividus in California 573–575
Hemmes, D. E., and T. E. Stasz. Ultrastructure of dormant, converted, and germinating oospores of Pythium ultimum 924–935
Hendrix, J. W. See McGraw and Hendrix 122
Heterobasidiomycetous parasite 9
Heterothallic life cycle, in Myxomycetes 790f
Hetrick, B. A. D., and J. Bloom. Influence of temperature on colonization of winter wheat by VAM fungi 953–956
Hilber, O. Die Gattung Pleurotus (Fr.) Kummer unter besonderer Berucksichtigung des Pleurotus-eryngii-Komplexes; review 384
Himelick, E. B., and J. L. Crane, James Cedric Carter 1905–1981 577–578
Ho, H. H., Lu Jiayun, and Gong Longyin. Observations on asexual reproduction in Peronophythora litchii 745–747
———, ———, and ———. Phytophthora drechsleri causing blight of Cucumis species in China 115–121
Hodges, C. S., Jr., and D. E. Gardner. Hawaiian forest fungi. IV. Rusts on endemic Acacia species 332–349
Homing reactions 637, 639, 640
Hopkin, A. A. See Punter et al. 722
Horn, B. W. Fertile stromata of Camarops petersii in culture 956–959
———. See Wicklow and Horn 503
†Horneophyton, fungal bodies in 545, 546f
Host index, rust fungi 188
Host lists
  fungi on Compositae 707–710, 712–715; Maravalia species 896
Host specificity 16
Howeler, R. H. See Schenck et al. 685
Hughes, G. C. See Bandoni and Hughes 63
Humber, R. A. See McCabe et al. 1104
Hydrolase patterns in soil penicillia 219–221
Hyperlatolic acid 155
Hyperparasitism, ultrastructure of 1039–1047
Hyphae, viability of 608–613
Hyphal interactions 936–939
Hyphomycete, pathogenic on mosquito 614–623
Hyphomycetes, aquatic 398–406
Hyphophores 108
Hypogeous
  Ascomycetes 5; Ascomycotina 170
Hypovirulence 387

Illman, W. I. Zoosporic fungal bodies in spores of Devonian fossil vascular plant 545–547
Immunization 767–779
Immunodiffusion 54, 56
Immunoelectrophoresis 51, 54, 55
Immunofluorescence 53
Immunological methodology 52–55
Immunology 51
Incidence of mildews and rusts in Composite genera 711, 715
Incompatibility, in Myxomycetes 785–791, 810–814
Incompatibility systems 633–640
Induced disease resistance 767–778
Infection by Monilinia species 316, 317
Inhibitory interactions 256–259
Instructions to authors 175–178
Intersterility groups in Laccaria 633, 635, 636
Interstock pairing in Laccaria 634–636, 639
Interthallic sexual reactions in Achlya 601–606
Invertebrate feeding experiments 400, 403, 404
Isohyperlatolic acid 155
Isolates of Fusarium for ribosomal protein analysis 535
Isosphaeric acid 151

Jabaji-Hare, S., A. Deschene, and B. Kendrick.

Lipid content and composition of vesicles of a vesicular-arbuscular mycorrhizal fungus 1024–1030
Jahnke, K.-D. Simple technique for staining chrysocystidia with Patent Blue V 940–943
Japanese Monilinia species 314–325
Jarrell, W. M. See Pond et al. 74
Jeng, R. S. See Krug and Jeng 748
Jenkins, S. F. See Punja and Jenkins 947
Johnson, A. See Culberson et al. 148
Jülich, W. (Ed.) International journal of mycology and lichenology; review 385

Kakishima, M., T. Sato, and S. Sato. Ceraceopsora, a new genus of Uredinales from Japan 969–974
Kalkat, R. S. See Dowsett et al. 559, 563
Kamal, A. N. Rai, and G. Morgan-Jones. Pseudochuppia, new foliicolous, dictyosporic hyphomycete genus 163–165
Kamel, S. M. See Tansey et al. 1089
Kendrick, B., and A. Shimizu. Mushroom poisoning—analysis of two cases, and a possible new treatment 448–453
———. See Jabaji-Hare et al. 1024
Kenneth, R. G., and J. Palti. Distribution of downy and powdery mildews and of rusts over tribes of Compositae 705–718
Kessler, K. J., Jr. Mycosphaeroella juglandis, causal agent of a leaf spot of Juglans nigra 362–366
Keys to taxa
Acaulospora 698; Brasiliomyces 441, 442; Calycellina 1005, 1006; Crustoderma 49; endemic rusts on Acacia in Hawaii 347, 348; Endocalyx 307, 310; Fimaria 850, 851; Maravalia 894–896; Tricharia 112
Kisimova-Horovitz, L. See Oberwinkler et al. 9
Klich, M. A., S. H. Thomas, and J. E. Mellon. Field studies on mode of entry of Aspergillus flavus into cotton seeds 665–669
Koevenig, J. L. See Queen and Koevenig 194
Koske, R. E., and C. Walker. Gigaspora erythropa, a new species forming arbuscular mycorrhizae 250–255
———. Spores of VAM fungi inside spores of VAM fungi 853–862
Kotter, M. M., and R. C. Farentinos. Formation of ponderosa pine ectomycorrhizae after inoculation with feces of tassel-eared squirrels 758–760
Kroeger, P. See Redhead and Kroeger 868
Krug, J. C., and R. J. Jeng. Hapsidomyces, a new genus of the Pezizaceae with ornamented ascospores 748–751
Krygier, B. B. See Banowetz et al. 51
Kuć, J., and C. Preisig. Fungal regulation of disease resistance mechanisms in plants 767–784
Kühner, R. Some mainlines of classification in the gill fungi 1059–1074
Kulik, M. M. Symptomless infection, persistence, and production of pycnidia in host and nonhost plants by Phomopsis batatae, Phomopsis phaseoli, and Phomopsis sojae, and the taxonomic implications 274–291
———. Failure of Phomopsis phaseoli to produce mature pycnidia in senescent soybean stems at the end of the growing season 863–867
Kuter, G. A. Hyphal interactions between Rhizoctonia solani and some Verticillium species 936–940
Kwon-Chung, K. J., T. Folks, and K. W. Sell. Unusual isolates of Thermoascus crustaceus from three monocyte cultures of AIDS patients 375–379

Labile toxic compounds in Lactarii 355–358
Lactarioid fungi 3
Laeticorticioid fungi 353–355
Laminaria, degradation of 426–431
Larsen, M. J. Notes on laeticorticioid fungi 353–355
———, and K. K. Nakasone. Additional new taxa of Laeticorticium 528–532
Laticiferous hyphae, role of 355–358
Latterell, F. M., and A. E. Rossi. New species of Hyalothyridium associated with a leaf spot of maize 506–514
Leaf cutting bee, Ascosphaera in 830–841
Leaf degradation and palatability 398–407
Leaf scald of rice 1111
Leaf spot of Juglans 362–366
Lectins 57
Lectotype 190
Lectotypification 190
Lenné, J. M., R. M. Sonoda, and D. G. Parbery. Production of conidia by setae of Colletotrichum species 359–362
Leonard, T. J. See Leslie and Leonard 760
Leslie, J. F., and T. J. Leonard. Nuclear control of monokaryotic fruiting in Schizophyllum commune 760–763
Lichens 108–114, 148–160
chemistry of 148–160
Lichtwardt, R. W. See Williams and Lichtwardt 204
Lifespans in slime molds 366–368
Light, effect of
on development 420–425; on reproduction 421–424
Light quality effects on apothecial development 820–828
Lignification 771, 772
Lignocelluloses, biodegradation of 369–371
Lilly, W. W., and J. Owens. Inhibition of growth and acid phosphatase activity of Schizophyllum commune by vanadate 700–704
Lima bean pod blight 274
Lipid content in VAM vesicles 1024–1029
List of
mildews and rusts on Composite genera 707, 708–710, 712, 713; species of penicillium 222, 226; Suillus species, ectomycorrhizal in vitro syntheses 582, 583
Lombard, F. F. See Eslyn and Lombard 548
Low, W. M. See Thomas et al. 601

Lowen, R., and K. P. Dumont. Taxonomy and nomenclature in the genus Calycellina 1003–1023
Lu Jiayun. See Ho et al. 115, 745
Lupo, A. T., Jr. See Camazine and Lupo 355
Luttrell, E. S. See Rykard et al. 1095

MacMahon, J. A. See Allen et al. 1031
Majchrowicz, I. Tadeusz Dominik, 1909–1980 173–174
Marek, L. E. Light affects in vitro development of gametangia and sporangia of Monoblepharis macrandra 420–425
Marine
chytrids 132–138; fungi 427, 428, 431; protist 626–632
Mating strains 194
Mating types, in Achlya 603–605
Matings in Laccaria 633–640
Matsumoto, T., A. A. Padhye, L. Ajello, and P. G. Standard. Critical review of human isolates of Wangiella dermatitidis 232–249
Matsushima, T. Matsushima mycological memoirs No. 3; review 385
McCabe, D. E., R. A. Humber, and R. S. Soper. Observation and interpretation of nuclear reductions during maturation and germination of entomophthoralean resting spores 1104–1107
McGraw, A.-C., and J. W. Hendrix. Host and soil fumigation effects on spore population densities of species of endogonaceous mycorrhizal fungi 122–131
McLaughlin, D. J. See O'Donnell and McLaughlin 468, 486
McManus, W. R., and N. N. Youssef. Life cycle of chalk brood fungus, Ascosphaera aggregata in the alfalfa leaf-cutting bee, Megachile rotundata, and its associated symptomatology 830–842
Mechanisms for colonization by VAM fungi 1036, 1037
Medical mycology 232–249, 268
Medium
degradation 161; influence of 947–950
Meiosis
ultrastructure of 468–484; in cystogenous plasmodia 1075–1087
Melhuish, J. H., Jr., G. L. Wade, and C. J. Baker. Degradation of synthetic glucose-ammonium tartrate liquid medium 161–162
Mellon, J. E. See Klich et al. 665
Memorial articles 173, 577
Menge, J. A. See Paulitz and Menge 99
———. See Pond et al. 74
Metabolic compartmentation 804–808
Method for production of Sphaerobolus fruit bodies 944–946
Meyers, A. J. Involvement of Cephalosporium coremioides in biofouling 351–353
Microcycle conidiation in soil penicillia 523–527
Microscopy 462–466
Miller, C. E. See Dylewski and Miller 1075
Miller, O. K., Jr., [Review of] Die Gattung Pleurotus (Fr.) Kummer unter besonderer Berucksichtigung des Pleurotus-eryngii-Komplexes 384
———. New Hygrophorus from North America 816–819
———. See Bills and Miller 975
Mitosis, ultrastructure of 487, 489f
Moniliaceae, hydrolase studies of 220
Monoclonal antibodies 51, 52, 58
Morphology
Diaporthe species 284–286; Phomopsis species 280–282
Moser, M. Panaeolus alcidis, a new species from Scandinavia and Canada 551–554
Mosquito pathogen 614–623, 670–674
Monokaryotic fruiting 760–762
Moore-Landecker, E., and W. Shropshire, Jr. Effects of ultraviolet A radiation and inhibitory volatile substances on Pyronema domesticum 820–829
Morgan-Jones, G., B. O. Gintis, and R. Rodriguez-Kabana. New species of Chalara and Scytalidium 211–217
———. See Kamal et al. 163
Mount St. Helens, Endogonaceae colonizing 1031–1037
Mucilopilus, sections of 145
Mucorales, hydrolase studies of 220
Mueller, G. M. See Fries and Mueller 633
Murograph of Endogonaceae species 697f
Mushroom poisoning 350–351, 448–453
Mycelial growth in Sclerotium rolfsii 947–950
Mycelium
detection of 34; growth affected by ultraviolet 824, 825
Mycetozoa 443
Mycobionts, in vitro syntheses 579–597
Mycoparasitism 9, 99–106
Mycorrhizae 454–461, 758, 759, 853–861
in vitro syntheses of 579–597
Mycorrhizal associations 76–83, 253
in Russulas 975–1001
Mycorrhizal fungi 74–83, 99, 122, 190, 250–255, 261–267, 573, 579–597, 609, 685–698, 853–861, 951–956, 1024–1029, 1031–1037
azygospores colonized 99–106; effect of cropping on 122–128; fatty acids and sterols in 1024–1029; fumigation effects on 124, 125; in ginger 754–757; lectotype 190; saline soils 74–83; spore population densities 124–128; spores in VAM spores 853–861; table of taxonomic features 192; Zingiberaceae 754–757
Mycorrhizal synthesis, with discomycete 680, 681
Mycotoxin
production by asymmetric penicillias 408, 410–412; profiles of in asymmetric penicillias 412
Myxamoebae, crossing of 810–814
Myxomycete
biology 785–791; sclerotia 752, 753
Myxomycetes
genetics of 810–814; synaptonemal complexes in 1123–1125

Nakasone, K. K. Taxonomy of Crustoderma 40–49
———. See Larsen and Nakasone 528
Natural autofluorescence 1049–1057
Nectaries, Aspergillus flavus entry into 668
Nelson, P. E. See Partridge et al. 533
Nematode-destroying fungi 559–566
Nereis, 429
New combinations in Ophiostoma 297, 298
New synnematous genera, 569, 570
New taxa 41, 43, 45, 47, 63, 109, 110, 112, 137, 138, 156, 163, 166, 204, 205, 206, 208, 211, 214, 250, 297, 298, 303, 305, 339, 343, 363, 434, 443, 506, 528, 530, 531, 551, 559, 563, 569, 570, 572, 627, 670, 678, 686, 689, 690, 692, 693, 695, 735, 748, 749, 796, 797, 798, 801, 816, 850, 868, 886, 887, 888, 891, 898, 899, 902, 903, 904, 905, 906, 907, 908, 909, 913, 914, 969, 976, 990, 1007, 1109, 1110, 1115
Nigerian rust fungi 179–188
Nitrogen source, effect on ethanol and pyruvate production 515–522
Nomenclature in
  Ophiostoma 297, 298; Phomopsis 283, 287–289
Notice 575
Nuclear
  behavior in basidia and spores 1064, 1065; content of spores, in gill fungi 1064; number in sporangiospores 1089–1093; reduction 1104–1106
Numerical taxonomy 140–146
Nutritional requirements in Laccaria 635, 637–640

Oak-birch forest, penicillia in 218–230
Oberwinkler, F., R. J. Bandoni, R. Bauer, G. Deml, and L. Kisimova-Horovitz. Life-history of Christiansenia pallida 9–21
O'Donnell, K. L., and D. J. McLaughlin. Ultrastructure of meiosis in Ustilago maydis 468–485
———, and ———. Postmeiotic mitosis, basidiospore development, and septation in Ustilago maydis 486–502
Okada, G., and K. Tubaki. A new species and a new variety of Endocalyx 300–313
Olive, L. S., W. E. Bennett, and M. C. Deasey. New protostelid genus Endostelium 884–891
Ono, Y. Monograph of Maravalia (Uredinales) 892–911
Ontogenic characters, in gill fungi 1066
Oomycete
  in alga 426, 427; pathogenic on mosquito 670–674
Oospores
  detection of 34; ultrastructure of 924–934
Orcinol-type para-depsides 148
Orders of gill fungi, classification of 1059–1073
Origin of orders, in gill fungi 1066–1068
Owens, J. See Lilly and Owens 700
Oxalic acid production 947–950
Oxygen consumption 805, 806

Paden, J. W. [Review of] Manual and atlas of the penicillia 381, 382
Padgett, D. E. Evidence for extreme salinity tolerance in saprolegniaceous fungi 372–375
Padhye, A. A. See Matsumoto et al. 232
Paecilomyces type conidia 376
Palm, M. E., and E. L. Stewart. In vitro synthesis of mycorrhizae between presumed specific and nonspecific Pinus + Suillus combinations 579–600
———, and ———. Suillus neoalbidipes: a new species 433–438
Palti, J. See Kenneth and Palti 705
Parasites of rotifers 1107–1110
Parbery, D. G. See Lenné et al. 359
Partridge, J. E., P. E. Nelson, and T. A. Toussoun. Ribosomal proteins of the genus Fusarium 533–544
Patent Blue V 940–942
Paulitz, T. C., and J. A. Menge. Is Spizellomyces punctatum a parasite or saprophyte of VAM fungi? 99–107
Pecan scab 326–330
Pecans, Penicillium from 943, 944
Pegler, D. N. Agaric flora of the Lesser Antilles; review 382–383
Pfister, D. H. Genea–Jafneadelphus—a tuberalean-pezizalean connection 170–172
———. On Fimaria dentata, a new combination, with a review of synonyms and comments on Fimaria 843–852
Phaeohyphomycosis 232, 246
Phenogram 141, 145
Phenoloxidase activity in mucoraceous fungi 567, 568
Photobiology 420–425
Photoprotection 268
Phyletic relationships of Ascomycetes and Basidiomycetes 1064, 1065
Phylogenetic relationships 170–172
Phylogeny 498–500
  of gill fungi 1064–1068
Physiological aspects of elicitation and resistance in diseases 776–778
Phytoalexins 769
Pigmented fractions from Wangiella dermatitidis 270
Pigments 268–272
  in Cortinariaceae 1069–1072; in Strophariaceae 1069–1072
Pinus species, mycorrhizal fungi associated with 581–594
Plant immunization 767–778
Plasmapheresis 448, 452, 453
Plasmodial incompatibility phenotypes 810–814
Pluteales, families of 1060
Poisoning, by mushrooms 448–453
Polypaecillium type conidia 376
Pond, E. C., J. A. Menge, and W. M. Jarrell. Improved growth of tomato in salinized soil by VAM fungi from saline soils 74–84
Population study of soil penicillia 218–230

Porter, D. See Dykstra and Porter 626
Postmeiotic mitosis, ultrastructure of 487, 489f
Potato, disease resistance in 772–778
Powdery mildew 439–442
on Compositae 705, 711, 713–716
Powell, M. J. Fine structure of the unwalled thallus of Rozella polyphagi in its host Polyphagus englenae 1039–1048
Predaceous hyphomycetes 559, 563
Preisig, C. See Kuć and Preisig 767
Principal components analyses in asymmetric penicillias 413, 415, 417
Principal coordinates analyses 142f–144f
Propagule densities 224, 225
Protostelid 443–446, 884–891
Punja, Z. K., and S. J. Jenkins. Influence of medium composition on mycelial growth and oxalic acid production in Sclerotium rolfsii 947–950
Punter, D., J. Reid, and A. A. Hopkin. Notes on sclerotium-forming fungi from Zizania aquatica and other hosts 722–732
Pycnidium production 274–289, 863–867
Pyrograms of asymmetric penicillias 413, 414
Pyrolysis gas chromatography and asymmetric penicillias 408–418
Pyruvate production 515–522

Queen, R. M., and J. L. Koevenig. Fluorescent antibody stain and disc electrophoresis analysis of mating strains in Physarium polycephalum and Didymium iridis 194–203

Rai, A. N. See Kamal et al. 163
Ramirez, C. Manual and atlas of the penicillia; review 381, 382
Rammeloo, J. (Ed.) Icones mycologicae, Nos. 1–18 (15.09.1982), colour plates and descriptions of Russula; review 385–386
Ranked abundance of soil penicillia 222
Recovery of Phomopsis from inoculated plants 276–278
Redhead, S. A., and P. Kroeger. Melanotus textilis, a new fabric- and wood-inhabiting North American agaric 868–872
Regulation of disease resistance mechanisms 767–779
Reid, J. See Dowsett et al. 559, 563
———. See Punter et al. 722
Relationship between distribution of rusts and mildews in Composite tribes 711, 716
Removal of volatile substances, effect on apothecia 827
Reproduction, in light, in vitro 420–425
Resistance mechanisms in potato 772–778
Resting spores, nuclear reduction in 1104–1106
Reynolds, D. R., and P. H. Dunn. Fungus-like alga 719–721
Reynolds, M. See Blackwell et al. 752
Ribosomal proteins in Fusarium 533–543
Robertson, J. A. See Roberts et al. 963
Roberts, R. G., J. A. Robertson, and R. T. Hanlin. Ascotricha xylina: occurrence, morphology, and typification 963–968
Rodriguez-Kabana, R. See Morgan-Jones et al. 211
Rogers, J. D. Xylaria acuta, Xylaria cornu-damae, and Xylaria mali in continental U.S. 23–33
———. Xylaria cubensis and its anamorph Xylocoremium flabelliforme, Xylaria allantoidea, and Xylaria poitei in continental U.S. 912–923
———. See Dargan et al. 1113
Rosing, W. C. Ultracytochemical localization of acid phosphatase 67–72
Rossi, A. E. See Latterell and Rossi 506
Rotifers, parasites of 1107–1110
Russulales, families of 1060
Rust fungi 179–188, 332–348
Rusts on Compositae 705, 708–711, 714–716
Rykard, D. M., E. S. Luttrell, and C. W. Bacon. Conidiogenesis and conidiomata in the Clavicipitoideae 1095–1103

Sakai, W. S. See Stasz and Sakai 754
Salinity tolerance 372–375
Salt tolerance 74–83
Saprobic fungi on marine alga 426–431
Sato, T. See Kakishima et al. 969
Scale-like leaves, VAM fungi in 754–757
Schatz, S. Degradation of Laminaria saccharina by saprobic fungi 426–432
Scheffer, R. J. See De Hoog and Scheffer 292
Schenck, N. C., J. L. Spain, E. Sieverding, and R. H. Howeler. New and unreported vesicular-arbuscular mycorrhizal fungi from Colombia 685–699
Schisler, L. C. [Review of] Tropical mushrooms: biological nature and cultivation methods 383–384
Sclerotia 503–505
medium for growth of 947–949; survival of 752, 753
Sclerotium-forming fungi 722–731
Secotioid fungi 1, 6
basidiocarp structure 1, 2; evolutionary progression in 7; evolutionary series 2; relationships with gill fungi 1
Seedlings, mycorrhizal fungi associated with 952
Sell, K. W. See Kwon-Chung et al. 375
Senescence in slime molds 366–368
Septa 12
Septal pores 11
Septation, ultrastructure of 489, 490f, 491
Sérusiaux, E. New species of Tricharia (Lichenes) 108–114
Sesnowitz-Horn, S. See Belsky et al. 804
Sesquiterpenes and disease resistance 773, 775, 776
Setae in conidium production 359–361
Seymour, R. L. Leptolegnia chapmanii, an oomycete pathogen of mosquito larvae 670–674
Sexuality in Laccaria 633–640
Sexual reactions in Achlya 601–606

Sexual reproductive potential in natural populations 601–606
Shade tree disease 256
Shamsai, R. See Tansey et al. 1089
Sheehan, P., and S. E. Gochenaur. Spore germination and microcycle conidiation of two penicillia in soil 523–527
Shimizu, A. See Kendrick and Shimizu 448
Shropshire, W., Jr. See Moore-Landecker and Shropshire 820
Sieverding, E. See Schenck et al. 685
Sigler, L. See Goettel et al. 614
Singer, R. [Review of] Agaric flora of the Lesser Antilles 382–383
Singh, M. See Dargan et al. 1113
Slime molds, senescence in 366–368
Smith, W. K. See Stahl and Smith 261
Smut, ultrastructure in 468–484, 486–500
Smuts and rusts, phylogeny in 498–500
Söderström, B., and J. C. Frisvad. Separation of closely related asymmetric penicillia by pyrolysis gas chromatography and mycotoxin production 408–419
Soil fumigation 122
Soil penicillia 218–230, 523–527
Sonoda, R. M. See Lenné et al. 359
Soper, R. S. See McCabe et al. 1104
Soybean cyst nematode, fungi in 211–217
  seed decay 274
Spain, J. L. See Schenck et al. 685
Sparassoidism 171
Sphaerobolus fruit bodies, method for production of 944–946
Spiegel, F. W. Protostelium nocturnum, a new, minute, ballistosporous protostelid 443–447
Spindle pole body 481f, 494
Sporangiospores, nuclear numbers in 1089–1093
Spore ornamentation
  in gill fungi 1063; in Myxomycetes 651–663, 653f–655f, 657f–660f
Spore population densities 122
Spores
  mycorrhizal fungi 853–861; viability of 608–613
Spore wall layers 1061–1063
Sporocarp development 443–445
Sporographs 556f
Sporulation affected by fatty acids 326–330
Spruce needles, competition for 873–883
Squirrels, vectors of ectomycorrhizal fungi 759
Stahl, P. D., and W. K. Smith. Effects of different geographic isolates of Glomus on water relatives of Agropyron smithii 261–267
Staining method 940–942
Stains 34–38
Standard, P. G. See Matsumoto et al. 232
Stasz, T. E., and W. S. Sakai. Vesicular-arbuscular mycorrhizal fungi in scale-like leaves of Zingiberaceae 754–757
———. See Hemmes and Stasz 924
Steroid glycoalkaloids and disease resistance 773, 774
Sterols in VAM vesicles 1024–1029
Stewart, E. L. See Palm and Stewart 433, 579
Storage for precursors of dialdehydes 355–358
Stromata in culture 956–958
Stuntz, D. E. See Grund and Stuntz 733
Suberkropp, K., and T. L. Arsuffi. Degradation, growth, and changes in palatability of leaves colonized by six aquatic hyphomycete species 398–407
Substrate hydrolysis
  Dematiaceae 227; Moniliaceae 227; Mucorales 227; soil penicillia 226
Succession
  mycorrhizal fungi 1031–1037; white- and brown-rot fungi 550
Suillus species and mycorrhizae 579–597
Superlatolic acid 151
Suppressors in disease resistance 776
Suryanarayana, K. See Thomas et al. 601
Sutherland, J. B. Biodegradation of lignocelluloses by Pycnoporus cinnabarinus 369–372
Sutton, B. C. See Wang and Sutton 569
Sweet potato dry rot 274
Symptomatology of chalk brood in bees 830–841
Symptomless infection by Phomopsis 274–289
Synaptonemal complex 1085, 1123–1125
Synnematous Hyphomycetes 569–572
Szaniszlo, P. J. See Geis and Szaniszlo 268
Szijarto, E. See Barron and Szijarto 1107

Tables of plant species colonization by VAM fungi 76–78, 80, 81
Tansey, M. R., S. M. Kamel, and R. Shamsai. Number of nuclei in sporangiospores of Rhizomucor species: taxonomic and biological significance 1089–1094
Taxonomic synopsis of Phomopsis and Diaporthe 289
Taxonomy of rusts on Acacia spp. 345–374
Taylor, J. W. Correlative light and electron microscopy with fluorescent stains 462–467
Teleomorph, 13, 166, 283, 292, 863, 947
Teleomorphic genera 345
Teliospores, immunological comparisons of 51–61
Temperature
  and colonization by VAM fungi 953–956; effects on competition 873–883; effects on growth 387–397; tolerance by sclerotia 752, 753
Terminology in rust fungi 344–346
Termites, fungi on 763–765
Tetrazolium bromide 38
Thermophilic fungi 375
Thermotolerance studies of fungal isolates from humans 234
Thiamine, effect of on ethanol and pyruvate production 515–522
Thiers, H. D. The secotioid syndrome 1–8
———. See Hayward and Thiers 573
Thomas, D. des S., K. Suryanarayana, and W. M. Low. Interthallic sexual reactions among Achlya isolates from natural populations 601–607
Thomas, M. D. Dry-season survival of Rhyn-

chosporium oryzae in rice leaves and stored seeds 1111–1113
Thomas, S. H. See Klich et al. 665
Thompson, D. P., and C. Cannon. Extracellular phenoloxidase activity in Rhizopus and Mucor species 567–568
TLC data 153
Tobacco diseases, immunization against 772
Tobacco necrosis virus 770, 771
Tomato, improved growth of in salinized soil 74, 80–82, 83
Tønsberg, T. See Culberson et al. 148
Tortolero, O. See Hanlin and Tortolero 439
Torularhodin 268
Toussoun, T. A. See Partridge et al. 533
Tree nurseries, mycorrhizal fungi in 951–953
Tribes of Compositae
genera of downy mildews on 707, 714, 715; genera of powdery mildews on 712–715; genera of rusts on 708–710, 714, 715
Tricholomatales, families of 1059
Trione, E. J. See Banowetz et al. 51
———. See Yu et al. 608
Tubaki, K. See Okada and Tubaki 300
Tuberalean-pezizalean connection 170
Tulloss, R. E. Distribution and taxonomic notes on Amanita mutabilis 555–558

Ultracytochemistry 67–72, 85–97
Ultrastructure 468–484, 486–500
and derivation of Ustilaginales 499; antheridia of Achlya recurva 88, 89f, 90f, 93; Ascosphaera in bees 830–841; chalk brood fungus 830–841; Christiansenia pallida 17f, 18f, 20f; chytrid 133f–136f; conidia and conidiophores 17f–19f; conidiogenesis 1096, 1097f; converted oospores 931; Cristaspora arxii 1117f; cytochemical localization of acid phosphatase 67–72; dormant oospores 931; endoparasitic chytrid 1039–1047; entomopathogen 615, 618f, 620f, 622f; germinating oospores 931, 933; haustoria 20f; marine protist 627, 628f, 629, 630f, 631; meiosis 1075–1087; mosquito pathogen 615, 615f, 620f, 622f; Myxomycetes 652, 653f, 654f, 655f, 656, 657f–660f, 661, 662f, 663; new Uredinales 972f; oogonia of Achlya recurva 85–97; Oomycetes 85–97; Plasmodiophoromycetes 1075–1087; protostelids 884–891; Pythium oospores 924–934; Rhizophydium 132–138; sclerotium-forming fungi 723, 725f; teliospores 1119f; unwalled thallus 1039–1047; vacuoles and vesicles 931; Woronina 1075–1087; zoospore 133f, 134f
Ultraviolet A radiation effects 820–828
Ultraviolet radiation, effect of 268, 270
Urea
isoelectric focusing 52; polyacrylamide electrophoresis 52, 55

Vanadate 700–703
inhibition by 700, 701, 702f, 703
Vande Waa, J. See Blackwell et al. 752
Vascular plant colonization by VAM fungi 76–78, 80–83
Vegetative incompatibility in Myxomycetes 785–791
Vesicular-arbuscular mycorrhizal fungi 74–83, 99, 122, 190, 685–698, 853–861, 953–956, 1024–1029
and xylem pressure potential 261; and water vapor diffusion 261; in ginger 754–757
Viability
and autofluorescence 1049–1057; of spores and hyphae 608–613
Vital stains 34, 36–38
Vitamins, effect on ethanol and pyruvate production 515–522
Volatile inhibitory substances, effects of 820–828

Wade, G. L. See Melhuish et al. 161
Walker, C. See Koske and Walker 250
Wall structure in new Gigaspora 253f
Wang, C. J. K., and B. C. Sutton. Two new synnematous genera 569–572
Warren, H. L. See Wu and Warren 1049
Wasti, S. S. See Gemma et al. 256
Watermolds, interthallic sexual reactions in 601–606
Water relations and VAM fungi 261
Water vapor diffusion and VAM fungi 263–267
Wheat bunt 51
Wicklow, D. T. Citreoviridin-producing fungus from pecan fragments is not Penicillium charlesii 943–944
———, and B. W. Horn. Aspergillus flavus sclerotia form in wound-inoculated preharvest corn 503–505
———, and R. J. Cole. Citreoviridin in standing corn infested by Eupenicillium ochrosalmoneum 959–961
Widden, P. Effects of temperature on competition for spruce needles among sympatric species of Trichoderma 873–883
Wilcox, H. E. See Yang and Wilcox 675
Willetts, H. J., and Y. Harada. Review of apothecial production by Monilinia fungi in Japan 314–325
Williams, M. C., and R. W. Lichtwardt. Two Stachylina and two Smittium species (Trichomycetes) 204–210
Willow, decay fungi and 548–550
Winter wheat, colonized by VAM fungi 953–956
Wolfe, C. B., Jr. Numerical taxonomic analysis of Tribe Ixechineae (Boletaceae) 140–147
Wood, B. W. See Gottwald and Wood 326
Wu, C. H., and H. L. Warren. Natural autofluorescence in fungi, and its correlation with viability 1049–1058

Xylem pressure potential, effect of VA infection on 261–267

Yang, C.-S., and H. E. Wilcox. E-strain ectendomycorrhiza formed by a new species Tricharina mikolae 675–684

Youssef, N. N. See McManus and Youssef 830
Yu, S. Q., E. J. Trione, and T. M. Ching. Biochemical determination of the viability of fungal spores and hyphae 608–613
Zoosporangial thalli, effect of light on 420–425
Zoosporic fungal bodies in fossil vascular plant 545, 546f
Zygoconidia 9

FUNGOUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

Absidia 229
orchidis 220; spinosa 220
Acanthostoma coronatum 797
Acaulospora 81, 122, 685, 689, 690, 695, 853, 854
appendicula, 685, **686**, 687, 687f, 688, 688f, 689, 697f, 698; bireticulata 124, 126, 698, 860; elegans 124, 126, 698; foveata 685, 686, 686f, 698; laevis 124–126, 253, 692, 698, 1024, 1028; **longula** 685, **689**, 690, 690f, 693, 697f, 698; gerdemannii 689, 698; **mellea** 685, **690**, 691, 691f, 692, 693, 695, 697f, 698; **morrowae** 685, 690, **692**, 693, 693f, 695, 697f, 698; scrobiculata 124–126, 254, 698, 854, 856f, 858, 859; spinosa 698; trappei 690, 693, 698; tuberculata 698
Acervulopsora 893
ichnocarpi 897
Achlya 374, 601–606
ambisexualis 95, 602, 604; bisexualis 85, 95, 602, 604; debaryana 93; flagellata 85; heterosexualis 95, 602–605; imperfecta 95; recurva 85, 86, 87f, 88, 89f–92f, 93, 94f, 95, 96f, 97
Achrotelium 893
Acrasis rosea 446
Acremonium 427
diversisporum 220; incoloratum 427, 428; multisporum 220; mucorum 220, 225; roseum 428
Acrotheca pedrosoi 244
Aecidium 345, 708, 710
ancylanthi 186; baumianum 185; bomolense 185; crotalarie 909; hansfordii 186; incomparabile 186; manettiae 903; nummulare 180; sp. 185
Agaricaceae 1059, 1068
Agaricales 4, 145, 573, 633, 639, 868, 1059–1073
Agaricostilbum 500
Agaricus 6, 1061, 1069
Agrocybe dura 941
Allomyces javanicus 1046
Allophylaria 1021
Alpova 6
Alternaria alternata 268; spp. 428
Amanita 6, 448–453, 1064
abruptiformis 555; anisata 555; atkinsoniana 451; bisporigera 451; mutabilis 555, 556f, 557; pantherina 449; phalloides 453; submutabilis 555; virosa 449, 451
Amanitaceae 1059
Amoeninae 988, 994
Ampullifera 110
Anguillospora pseudolongissima 399, 401, 403–405
Angusia 892, 893
lonchocarpi 892, 899
Anthrocobia melaloma 455, 457
Aphanocladium album 220
Aphanomyces 673
norvegicus 674; phycophilus 673, 674
Aplyllophorales 40, 528, 639, 1059
Aplopsora 893, 974
Arachniotus 1118
Arcangeliella 3
desjardinii 3; parva 3; saylorii 3; variegatus 3
Archaeinae 983
Armillaria 639
Arthrinium 310
Arthrobotrys 559, 562, 564
constringens 559, 560f, 561f, 562
Articulospora inflata 399–401, 403–405
Ascobolaceae 171
Ascobolus brassicae 846
Ascodesmis 846
Ascomycetes 5, 292–298, 460
Ascomycotina 148, 149, 170
Ascophanus boudieri 846; dentatus 843, 844f, 846, 848–850; hepaticus 843, 850
Ascosphaera 830, 836, 841
aggregata 830–832, 833f–835f, 836, 837f–839f, 840; apis 830, 841; atra 836; major 841; proliperda 836
Ascotricha erinacea 967; xylina 963, 964f, 965, 966f, 967
Aspergillus 427, 527
flavus 72, 503–505, 665–668, 961, 1049; fumigatus 60; niger 229, 523; spp. 428
Asteridium coronatum 802; distans 802
Asterina 797
Asteronella 507
Asterothyriaceae 108
Atelocauda 374, 909
hyalospora 909; incrustans 347, 909
Athelia rolfsii 947
Atkinsonella 1101–1103
hypoxylon 1096, 1098f, 1099, 1100f, 1101, 1102; sp. 426–428
Aureobasidium pullulans 272, 643–648

Auriculariaceae 354
Aulaxina 108

Badhamia utricularis 785, 788, 789
Baeodromus 708
Balansia 1095, 1096, 1099, 1102, 1103
  claviceps 1102; epichloë 1096, 1098f, 1099, 1100f, 1102; henningsiana 1096, 1097f, 1099, 1100f, 1102; pilulaeformis 1096, 1098f, 1099, 1100f, 1102, 1103; strangulans 1096, 1097f, 1098f, 1099, 1100f, 1102
Balansiopsis 1102, 1103
  pilulaeformis 1103
Balladyna 793, 794, 798
  chiococcae 795, 798, 800; **psilostomatis** 795f, **797**, 798; secedens 798; **subpilosa** 793, 794, 796, 797, **798**, 799f; ugandensis 798; velutina 798, 799f
Balladynastrum subpilosum 798
Balsamea 6
Barlaea globifera 848
Bartalinia robillardoides 427, 428
Basidiomycetes 468, 483, 484, 491, 493, 495, 497–499
Basidiophora 706, 707, 717
Battarraea 6
Beauveria 621, 914
  bassiana 220, 256, 259
Belonidium deparculum 1018
Belonium sulfureo-tinctum 1006, 1009
Bettsia (Pericystis) alvei 830
Bipolaris maydis 515, 1050, 1052f
  race T 515–522
Bisporella 1021
Bjerkandera adusta 548, 549
Blastocladiella britannica 424
Blastospora ascotela 892, 909
Bloxamia truncata 741, 742f, 743, 744f
Bolbitiaceae 6, 1059, 1068, 1072, 1073
Bolbitius 6, 1072
Boletaceae 4, 140, 433–437, 573
Boletales 4, 1059, 1060, 1064, 1067
Bolete series 4
Boletinellus 573
Boletus 1060
  granulatus 433; var. albidipes 433
Boliniaceae 956
Botryorhiza 893
  hippocrateae 893
Botryotinia 315
Botryotrichum piluliferum 428
Boudiera 748, 749
  areolata 749, 751; echinulata 749, 751
Brasiliomyces 439, 441, 442
  entadae 441, 442; mulachrae 440f, 441, 441f, 442; malvastri 439, 441
Brauniellula 6
Bremia 706, 707, 716, 717
Brevilegnia minutandra 97
Bullera alba 493, 496
Burrillia globulifera 728–730
Busseella 720
  marantaceae 720

Caeoma 345, 708
Calenia 108
Calonectria 535, 540, 542
Calycellina 1003–1021
  camelliae 1005, 1018; caricina 1005, 1019; caroliniensis 1004, 1013; castanea 1013; chlorinella 1013, 1014; dennisii 1014, 1021; ericae 1005, 1014; idumentriola 1005, 1014; lauri 1005, 1019; leucella 1014; minuta 1005, 1015; myrtellinoides 1005, 1015; ochracea 1005, 1019; osmundae 1005, 1015; phalaridis 1021; populina 1003, 1007f, 1010–1013, 1014, 1020; pulviscula 1016; **punctata** 1003, 1005, 1007f, **1006**, 1008–1012, 1020; punctiformis 1006–1009, 1013, 1014; rhododendricola 1005, 1016; rivelinensis 1005, 1019; sadleriae 1005, 1016; spiraeae 1019; tetraspora 1005, 1017; triseptata 1004, 1005, 1017, 1018; ulmariae 1005, 1018
Calycina castanea 1013
Camarophyllopsis 817, 818
Camarophyllus 1065
Camarops 956, 958
  petersii 956, 957f, 958
Camarosporium 507, 508, 511, 513
  feurichii 511; metableticum 509f, 511, 512f, 513; mutilum 508; opuli 508
Camillea bacillum 1113
Candida mycoderma 60, nigra canadensis 243; pseudotropicalis 60
Cantharellaceae 1065, 1066
Cantharellula umbonata 1065
Cantharellus 1067
Capnodium trichostomum 797
Carcinomyces 9, 21
Carcinomycetaceae 21
Catenaria allomycis 1046, 1047
Cephaloascus 292
Cephalosporium 352
  coremioides 351, 352; roseum 352
Ceraceopsora 969, 974
  elaeagni 969, 970, 970f–972f, 973
Ceratobasidium mycophagum 9
Ceratochaetopsis dendrocalami 802
Ceratocystiopsis 292, 296, 297
  falcata 292, 297
Ceratocystis 292–298
  adiposa 295, 743; araucariae 293, 294f, 296, 297; autographa 296, 297; bacillispora 297; brevicollis 297; distorta 297; dryocoetidis 297; europhioides 295, 296; fimbriata 67, 72; franckegrosmanniae 297; huntii 297; megalobrunnea 297; nigra 297; populina 297; rostrocoronata 297; seticollis 297; sparsa 297; tremulo-aurea 297; ulmi 256–259; vesca 296
Ceratostomella 292
Cercospora kikuchii 1050
Ceropsora 893
Cerotelium alienum 179; corchori 187
Chaconia 893, 974
  alutacea 893, 909; erythroxyli 897; ingae 909; millettiae 900
Chaconiaceae 893, 974
Chaetochalara aspera 1004, 1013

Chaetomium brasiliense 67, 68f, 69f, 70f, 71f, 72; sp. 428
Chalara 293, 295–297, 570, 741, 743, 744
hyalina 211, 212f, 213f, 214; microspora 214; quercina 292
Chalarodendron 569
fuscum 569, 570, 570f
Chamaeleontinae 997
Chamonixia 5
Cheilymenia 681, 848
Chlamydopus 6
Chloridium chlamydosporum 220
Chondrogaster 6
Chondrostereum purpureum 548–550
Christiansenia 9, 21
effibulata 9; pallida 9, 10, 11f, 12, 13f, 14, 15f, 16, 17f–20f, 21; tumefaciens 9
Chroogomphus 6
Chrysella 708
Chrysocelis 893, 974
Chrysopsora 708
Chuppia 163, 165
Chytridiomycetes 545, 804, 806, 1039
Ciboria acerina 315, 319
Cicinnobella sp. 797
Cionothrix 708
Cirrosporium novae-zelandiae 311
Citromyces sormanii 944
Cladosporium caryigenum 326–330; cucumerinum 770, 771; sp. 428
Claudopus variabilis 871, 872
Claviceps 1095, 1102, 1103
gigantea 1101; paspali 1101; purpurea 1095, 1096, 1097f, 1099, 1101; tripsici 1101
Clavicipitaceae 623, 1095
Clavicipitoideae 1095
Clitocybe 1065, 1067, 1071
venutissima 1066
Clitopilus 1062
Coccinei 817
Codinaea heteroderae 211
Coemansiella carasuensis 720
Coleosporium 708, 710
asterum 499
Colletotrichum 359
coccodes 360; dematium 360, 361; var. truncatum 866; gloeosporioides 360, 361; gossypi 359; graminicola 360, 1050–1057; lagenarium 769–772; lindemuthianum 360, 768–770; orbiculare 360; spp. 360; sublineolum 360; trichellum 360; trifoli 1050; truncatum 360, 361f
Collybia dryophila 9, 21
Compactae 979
Complexipes moniliformis 675, 682
Conidiobolus thromboides 257, 1104, 1105, 1105f, 1106
Coniophora crocea 46; dryinum 46
Coniophorella laeticolor 46
Conocybe tenera var. subovalis 941
Coprinaceae 6, 1059, 1068
Coprinus 637, 639, 640, 1071
lagopus 72, 731; var. sphaerospora 549; radians 548–550; sterquilinus 731
Coprotus 751
Cordana pauciseptata 220
Cordycepioideus 763–765
bisporus 763, 764, 764f, 765; octosporus 763, 764, 764f
Cordyceps 763, 765
militaris 257, 259, 765
Coriolus versicolor 371, 483, 496, 497, 549
Corticiaceae 40, 528
Corticium alutaceum 549; dryinum 40, 46; laeticolor 46; roseum 353
Cortinarius 4, 1059, 1068–1072
Cortinarius 4, 1068–1071
violaceus 941, 1069
Creolophus 1121, 1122
cirrhatus 1121; diversidens 1121
Crepidotaceae 1059
Cristaspora 1115, 1118
arxii, 1115, 1116, 1116f, 1117f, 1118
Crocicreas 1021
Cronartium 345, 708
Crossopsora 608
Crustoderma 40, 41, 46
carolinense 41, 42f, 43, 49; **corneum** 43, 44f, **45**, 46, 49; dryinum 44f, 46, 49; flavescens 40, 44f, 46, 47, 49; **longicystidium** 44f, **47**, 49; **marianum** 42f, **43**, 45, 49; opuntiae 40, 47, 48f, 49; **patricium 47**, 48f, 49; resinosum 47, 48f, 49
Cryphonectria parasitica 387–397
Cryptendoxyla hypophloia 214
Cryptodiscus pallidus 1009
Cryptosphaeria 166–168
populina 167; **pullmanensis 166**, 167f, 168f, 169; vicinula 167
Cubonia 843, 846
brachyascus 846; bulbifera 843, 845f, 846, 848–850; hyracis 848, 849f, 849, 850
Culicinomyces 614, 615, 621, 623
clavisporus 614–617, 618f, 619, 620f, 621, 622f, 623; "clavcsporus" 616
Cyathicula 1021
leucella 1021
Cyathus stercoreus 944
Cylindrobasidium albulum 549
Cylindrocolla 66, 1004, 1011
Cylindrosporium 363, 364
juglandis 362, 365f
Cystangium 6
Cytosporina 169

Dacrymyces **aquaticus 63**, 64f, 65f, 65, 66; stillatus 65, 66
Dactylella 563, 564
doedycoides 562; leptospora 563, 565, 566; minuta 564; **multiformis 563**, 564, 564f, 565, 565f, 566
Dactylomyces 376
crustaceus 375
Dalbergia 901
Dasyscypha osmundae 1015; pulchella 1009
Dasyscyphus puberulus 1006, 1010; pulchellus 1006; sadleriae 1016
Dasyspora 720

Dematiaceae 220, 268, 272
Dendrocorticium 353–355
lundellii 354; roseocarneum 355
Dendrothele macrospora 354
Dendryphiella salina 427, 428, 431
Dermatea rhododendricola 1016
Dermini 1070
Dermocybe 1069
Deuteromycotina 300
Diaporthe 289
batataxis 279, 289; incongrua 283; kellermanniana 283; phaseolorum 863; var. batatatis 283, 287, 289; var. caulivora 287–289; var. phaseolorum 283, 287–289; var. sojae 283, 287–289; sojae 287, 289
Diatrypaceae 166, 168
Diatrype 168
vicinula 168, 169
Dichobotrys 459
Dichotomomyces 1118
Dictyostelium discoideum 194, 200
Dictyuchus 374
Didymium difforme 785, 788; iridis 194–201, 366–368, 650–652, 653f–655f, 656, 657f, 661, 663, 752, 753, 785–788, 791, 810, 811, 1125; laxifila 785, 788; nigripes 366, 650–652, 656, 658f, 659f, 661, 663; ovoideum 650–652, 656, 660f, 661, 662f, 663; saturnus 785, 788; squamulosum 652, 653
Didymobotryum 572
Diheterospora 1107, 1110
Dimelaena oreina 148, 149, 153
Dimeriella balsamicola 801; caracensis 802; claviseta 802; coronata 797, 802; dendrocalami 793, 802; saxegotheae 801; subpilosa 798; tsugae 801
Dimerina arundinariae 802
Dimerium 800
costaricense 797; crustaceum 798; **inermis 797**; leptosporum 796; psilostomatis 797; sp. 799f
Dimerosporina 802
arundinariae 793; dinochloae 793, 802
Dimerosporium abietis 801; arundinariae 802; coronatum 797; crustaceum 793, 797, 799f, 798, 800; pannosum 793, 796; peliadense 795f, 797, 800; pseudotsugae 801; psilostomatis 793, 797; saxegotheae 793, 801; subpilosum 793, 797, 798, 799f, 800; terrieri 801; tsugae 793, 801; vestitum 802
Diorchidium quadrifidum 182
Diplophrys 626
archeri 626, 631; **marina** 626, **627**, 628f, 629, 630f, 631, 632; stercorea 626
Discomycetes 5, 7, 454–460, 681, 820
Disjunctoriae 317
Doassansia obscura 728; zizaniae 722, 728–730
Doratomyces stemonitis 220
Drechslera maydis 515
Drechsleromyces 564
Drydon cirrhatum 1121, 1122
Dryophila 1070
Dysrhynchis 802

Echinoplaca 108
Echinosteliales 1125
Echinostelium bisporum 446; minutum 1125
Elaphomyces 759
granulatus 609, 611–613
Elaphomycetaceae 171
Elaphomycetales 171
Elasmomyces 3
Endocalyx 300, 305, 310–312
cinctus 300, 307, 308f, 309f, 310–312; **indumentum 305**, 306f, 309f, 310–312; melanoxanthus var. **grossus 303**, 304f, 309f, 310–312; var. melanoxanthus 301, 302f, 303, 305, 306f, 307, 309f, 310–312; psilostoma 300; thwaitesii 300, 308f, 310, 311
Endoconidiophora coerulescens 292
Endocronartium 345, 346
Endogonaceae 190, 685, 1031–1037
Endogonales 190
Endogone 860, 1033
microcarpa 190; mosseae 1024; neglecta 190; pisiformis 190
Endophylloides 708
Endophyllum 345, 708
Endoptychum 6
Endoraecium 339, 346
acaciae 339, 340f, 341–344, 348; **hawaiiense 343**, 343f, 344, 348; spp. 342f
Endostelium 884, 887–891
amerosporum 885f, **886**, 887f, var. **medium** 885f, **887**, 888, 891; var. **minus** 885f, 887f, **888**, 889f, 891; **zonatum** 890f, **891**
Endothia parasitica 387–397
Entoloma sp. 951, 952
Entomophaga grylli 1104, 1105
Entomophthorales 1106
Entomophthora sphaerosperma 1104; virulenta 1104
Entophlyctis 545
Entrophospora 685
colombiana 685, **693**, 694, 694f, 695, 697f; infrequens 695
Entyloma 705
Ephelis 1095, 1096, 1099, 1102, 1103
Epichloë 1095, 1101–1103
typhina 1096, 1097f, 1098, 1099, 1101
Epicoccum nigrum 268
Epipolaeum 801
sydowii 783, 801; tsugae 801
Episphaerella 793
pannosum 796
Eriosporangieae 893
Erynia radicans 1104, 1105, 1105f
Erysiphaceae 439, 442, 705, 711, 713–716
Erysiphe 711–713, 716
malachrae 441
Eudimerolium 793, 801
tsugae 801
Eumela 793, 794, 802
chiococcae 794, 795f, 796; **pannosa** 795f, **796**
Eupenicillium ochrosalmoneum 959–961
Europhium 293
Eurotiales 1115
Eutypella 741
cerviculata 741; sp. 741

Exophiala jeanselmei 232, 237, 242, 243; mansonii 242; moniliae 232, 237, 243; spinifera 242, 243
Exserohilum turcicum 1050

Fayodia bisphaerigera 1063; gracilipes 1063
Filobasidiella arachnophila 12
Filobasidium floriforme 12, 14, 20; neoformans 12, 14, 20
Fimaria 843, 849, 850
cervaria 851; coprina 851; **dentata 850**, 851; equina 851; hepatica 851; hispanica 851; leporum 851; porcina 851; ripensis 850; theioleuca 851; trichospora 848, 850; virginea 851
Fistulosinae 985
Flagellospora curvula 399–401, 403–506
Flammula 1068, 1070, 1071
alnicola 1070; apicrea 1070
Flammulina 1062
Fonsecaea pedrosoi 232, 237, 242–244
Fulvidula 1071
Fusarium 533, 534, 539f, 542, 543, 667
avenaceum 535, 540f; crookwellense 535, 540f, 542, 543; culmorum 535, 540f; episphaeria 534, 535, 538f, 540f, 542; equiseti (as equistei—*sic*) 535, 540f; graminearum 535, 536, 538f, 540f, 543; lateritum 535, 540f; moniliforme 535, 537f, 540f, 1050; var. anthophilum 535, 540f; var. subglutinans 535, 540f; nivale 535, 540f, 542; oxysporum 534, 536, 540f, 542, 543; f. sp. chrysanthemi 536, 540f, 542, 543; f. sp. cucumerinum 771; poae 536, 540f; roseum 1050, 1052f; sambucinum 535, 540f; scirpi 535; var. acuminatum 535, 540f, 542; var. filiferum 535, 540f; var. longipes 535, 540f; semitectum 535, 540f; solani 534, 535, 540f; sp. 257; sporotrichioides 536, 540f; spp. 428; tricinctum 536, 540f, 542
Fuscidea 149
lightfootii 156; sp. 155; **viridis** 149, **156**

Gabarnaudia 293
Gaeumannomyces graminis var. tritici 609, 612
Gaillardina pannosa 796; subpilosum 796
Galera 1068
Galerina 1071–1073
marginata 941
Galeropsis 6
Gangliophragma 564
Gastroboletus 4
amyloideus 5; subalpinus 4; suilloides 5; turbinatus 4; xerocomoides 5
Gastrocybe 6
Gautieria 5
Gelasinospora 751
reticulispora 821
Genabea 6
Genea 6, 170
hispidula 170; intermedia 170; verrucosa 171f
Geneaceae 170
Genicularia 559
Geniculifera 559, 561, 562
cytosporia 559
Geniculasporium 914
Geopora 5, 675
Geotrichum 216
Gibberella 535, 540, 542
Gigaspora 122, 250, 254, 853, 854, 857, 860
calospora 854; coralloidea 253; **erythropa 250–254**, 855, 855f, 858, 860; fulgida 855f, 858; gigantea 124, 125, 254, 854, 855f, 856f, 858, 860; gilmorei 81; gregaria 253; margarita 99–102; pellucida 124, 125, 855f, 859; persica 854, 859; reticulata 254, 854; sp. 858; verrucosa 859
Gliocladium 936, 939
virens 938
Glomerella gossypii 665
Glomus 190, 261, 685, 689, 698, 853, 854, 859–861, 1032, 1033
aggregatum 854, 857f; caledonicum 122, 124–129, 1024, 1025, 1028, 1029; clarum 698; constrictum 122, 124–127, 129; etunicatum 81, 1024; fasciculatum 74, 80, 81, 83, 99, 100, 102, 122, 124–126, 192, 254, 698, 854, 860; halonatum 698; intraradices 698, 861; macrocarpum 122, 124–129, 192; var. geosporum 99; var. macrocarpum 261, 263, 264; **manihotis 685, 695**, 696, 696f, 697, 697f, 698; microcarpum 80, 81, 122, 124–127, 190, 191f, 192, 193, 261, 263, 264; mosseae 80, 81, 124, 954, 1024; sp. 80, 81, 754, 1027–1029; spp. 758, 759; tortuosum 856f, 858; YS 854, 855f, 856f, 857, 857f, 861
Gomphidiaceae 1059
Gomphidius 6, 1060, 1061, 1064, 1067
glutinosus 1067
Gomphigaster 6
Gongronella butleri 220
Goplana 893
Graphiola 311
phoenicis 311
Graphiolales 11
Grosmannia 292
Gyalectidium 108
Gyalideopsis 108
Gymnoconia 345
Gymnomyces 3
Gymnopilus 1070, 1073
spectabilis 941
Gymnosporangium clavipes 498
Gyrodon 573
lividus 573, 574, 574f, 575; merulioides 573; proximus 573

Haematostereum sanguinolentum 609, 612
Hansenula wingei 194
Hansfordiella 719
Hapsidomyces 748, 749, 751
venezuelensis 749, 750f, 751
Harpellaceae 204
Harpellales 204
Hebeloma 1068
colvini 951; sp. 951, 952
Helicogermslita 1113, 1114
celastri 1113, 1114, 1114f
Heliscus lugdunensis 399, 400, 402–406
Helminthosporium maydis 515; sigmoideum 722, 728

Helotiales 1018
Helotium 1004
castaneum 1013; deparculum 1018; epiphyllum 1012; var. illicina 1012; ilicis 1012; leucellum 1014, 1021; maculosum 1017, 1018; phalaridis 1021; populinum 1004, 1010, 1012; puberulum 1006, 1009, 1011; punctatum 1006, 1009, 1010; punctiforme 1003, 1006; querceti 1006
Helvellaceae 171
Hemibasidiomycetes 498
Hemileia canthii 186; cryptostegiae 902; deightonii 180; fadogiae 185; vastatrix 346
Hendersonula toruloidea 216
Hericium 1121, 1122
erinaceum 549
Herpomyces sp. 72
Heterobasidiomycetes 11
Hirschoporus 640
Hirsutella 623
Homobasidiomycetes 5, 7
Hormiscium dermatitidis 232, 243; pedrosoi 233
Hormodendrum dermatitidis 241
Humaria 170, 675
Hyalinia 1016
chlorinella 1013
Hyalopesotum 293, 294
Hyaloscypha 1004, 1018, 1011
deparcula 1018; lachnobrachya 1018; leucella 1021; pseudopuberula 1012; puberula 1006, 1010, 1011, 1012, punctiformis 1006
Hyaloscyphaceae 1003, 1005, 1018, 1021
Hyalothyridium 507, 508, 511, 513
calamagrostidis 507, 508, 509f, 511, 512f, 513; decandra 507; leptitanum 507, 508; **maydis 506**, 507, 508, 509f, 510, 510f, 511, 512f, 513; multilum 507, 508; nakatae 507; sorghicola 507; viburnicola 507, 508, 509f, 510, 511, 513
"Hyalothyris" 507
Hydnangium 6
Hydnochaete olivacea 549
Hydnotrya 5, 6
Hydnum cirrhatum 1121; corrugatum 1121
Hygrocybe 817, 818, 1064
Hygrophoraceae 1059
Hygrophoropsis aurantiaca 1065, 1067
Hygrophorus 816, 983
caeruleus 816, 817f, 817, 818f, 818; pallidus 818; subviolaceus 818
Hymenochaete tabacina 609, 612
Hymenogaster 4
Hymenoscyphus 1004
leucellus 1021; populinus 1010; puberulus 1006, 1010; punctiformis 1006
Hyphochytrium catenoides 545
Hyphoderma 40, 41, 354
resinosum 47
Hypholoma 1070, 1071
fasciculare 1070
Hyphomycetes 163–165, 398–406
Hypocrea 293
Hypocreaceae 293
Hypocreales 763
Hypoxylon 1114
cohaerens 1113; cubense 912; deustum 31; serpens 958
Hysterangium 6
separabile 759

Incarcerata 903
Inocybe 733, 735, 740, 1064, 1068
abundans 734f, 736f, 737, 738; acriolens 739; brunneolipes 739; canescens 737; cervicolor 734f, 739, 740; cinnamomea 737; decipiens 941; **erythospilota** 734f, **735**, 736f, 737; infelix 735, 738; jacobi 734f, 736f, 738, 739; lacera 735, 738, 951–953; microspora 735; minima 733, 734f, 735, 736f; monochroa 737; sororia 740; subrubescens 740
Integroidinae 997
Isaria 914
flabelliformis 914, 917, 919–921
Itersonilia perplexans 354
Ixechineae 140, 146
Ixechinus 140, 144–146
majus 142; minus 142; viridis 142

Jafneadelphus 170
argentinus 170, 171f; echinatus 170, 171f
Junctoriae 314, 316

Kernia 751
Kernkampella phyllanthi 181
Kluyveromyces 533
Kuehneromyces mutabilis 941
Kunkelia 345

Laboulbeniales 72
Labyrinthula spp. 631
Labyrinthulids 626, 629, 631, 632
Labyrinothuloides sp. 1 626; spp. 631, 632; yorkensis 627, 632
Laccaria 6, 633, 639, 640, 1063, 1064
altaica 633–635, 637; amethystina 633–635, 637, 638; bicolor 633–639; laccata 633–630, 951, 952; montana 634; proxima 633–637, 638f, 639, 640
Lachnella puberula 1006, 1010
Lactarius 3, 1060
deceptivus 357; fuliginosus 941; pergamenus 357; piperatus 357, 358; rufus 357; subvellereus 357; tomentoso-marginatus 357; torminosus 357; vellereus 357; var. bertilloni 356; velutinus 356; volemus 987, 994
Laeticorticium 353–355, 528, 531
appalachiense 532; canfieldii 354; **cremeo-albidum 528**, 529, 529f, 530; **efibulatum** 529f, **530**, 531; expallens 352; **floridense** 529f, **531**, 532; lundellii 354; macrosporum 355; mississippiense 355; odontoides 355; pilatii 531; quercinum 355; roseum 353; simplicibasidium 354, 355
Lasiobolus 848
brachyascus 846
Lasioloma 108
Lasiostemma 793, 801
coronata 802; distans 802; melioloides 793, 802; var. caracense 802

Lasiostemmella sydowii 801
Leccinum 637, 640
Lecidea 149
Lecideaceae 149
Lemmoniera terrestris 399, 401–405
Lentinellus cochleatus 941; ursinus 358
Leotiaceae 1003, 1021
Lepiota 1063, 1064, 1067
Lepiotaceae 6
Lepista 1060
Leptographium 295
Leptolegnia 673
caudata 673; **chapmanii 670**, 671f, 672f, 673, 674; sp. 670
Leptosphaeria salvinii 728
Leptosphaerulina 508, 513
briosiana 1050, 1052f; trifolii 820, 828
Leucogaster 6
Leucophlebs 6
Leucothecium 1118
Leveillula 711, 712, 716, 717
Libertella 169
Lichenes 108
Limacella 1064
Lobaca 108
Longula 6
Lycoriella 429

Macowanites 3
Macrocystidia 1059, 1072
cucumis 1062
Macrophomina phaseolina 1029
Magnaporthe salvinii 728
Mainsia 901
pterocarpi 901
Maravalia 347, 709, 892–909
achroa 896, 898; africana 909; albescens 893, 909; **amazonensis** 896, **898**, 902; ascotela 892, 909; **aulica** 894, 894f, **904**, 907; **bauhiniicola** 895, **899**; **bolivarensis** 892, 894, 895f, **904**; crotalariae 896, 899; **cryptostegiae** 894f, 896, **902**; **echinulata** 894, **904**, 905; elata 892, 909; erythroxyli 894, 897; **exigua** 892, 895, 895f, 899; **ficl** 894, **904**; **gentilis** 894, **905**, 906; **guianensis** 892, 895f, 896, **903**; hyalospora 909; hygrophilae 894; ichnocarpi 896, 897; ingae 909; kevorkianii 894, 894f, 906; **lonchocarpi** 894, **899**, 900; **lucumae** 895, **906**; manettiae 894, 903; millettiae 895, 900, 901; millettiicola 896, 900, 901; **mimusops** 894, 894f, **907**; **palaquii** 894f, 896, **907**; pallida 892–894, 901; **payenae** 895, **907**, 908; pressa 909; pterocarpi 895, 899, 901; pura 892, 909; **quadrilobata** 894, **908**, 909; **sapotae** 894f, 896, 904, **908**; sebastianiae 895, 897; sp. 896, 902, 903; **swartziae** 892, 894, 895f, **902**; utriculata 909
Maravalieae 893
Mariannaea elegans 220
Martellia 3
Melampsora 709
phyllodiorum 333, 338, 339
Melanconium melanoxanthum 300
Melanogaster 6, 860, 861
Melanotus 868, 871, 872
alpiniae 870f, 871; caricicola 872; hartii 872; hepatochrous 871; musaecola 871; patagonicus 871; proteus 871; **textilis 868**, 869f, 870f, 871, 872
Meliola psilostomatis 797, 798
Membranosorus heterantherae 1075, 1085
Meria coniospora 621
Merisma nigripes 914, 917
Meruliales 21
Merulius 640
Metarhizium anisopliae 220, 256, 257, 258f, 259
Microascaceae 751
Micropodia populina 1010
Microsphaera 711, 712
Miyagia 709
Mollisia pulviscula 1016; rhododendricola 1016
Mollisina 1004, 1016
acerina 1003, 1007f, 1010, 1013, 1020, 1021
Monacrosporiella 564
Monacrosporium 564
elegans 564
Moniliaceae 220
Monilinia 314–323
aucupariae 317, 321; fructicola 315, 316, 318–320, 322, 323, 821; fructigena 315, 316, 320, 322, 323; kusanoi 317, 321; laxa 316, 320; mali 317, 319, 321, 323; mume 317, 321; oxycocci 317, 321, 323; urnula 317, 321
Monoblepharella sp. 421, 424
Monoblepharidales 420, 425
Monoblepharis hypogyna 420; macrandra 420, 421, 422f, 423–425; polymorpha 420; sphaerica 424
Monographella albescens 1111, 1112
Montagnea 6
Morchellaceae 171
Mortierella isabellina 220; parvispora 220; ramanniana 220; verticillata 220
Mucilopilus 140, 144–146
conicus 142, 145; var. reticulatus 142, 145; mexicanus 142, 145; nothofagi 142; venezuelae 142, 145; violaceiporus 142; viscidus 142, 145; var. macrosporus 142, 145
Mucor 567, 568
hiemalis 220, 225, 567, 568; mucedo 567, 568; piriformis 567, 568; pusillus 60; racemosus f. racemosus 567, 568
Mucorales 220, 229
Mycolevis 6
Mycosphaerella 362, 821
dendroides 363; **juglandis 363**, 364f, 365f; punctiformis 363; saccardoana 363; woronowii 363
Myriogenospora atramentosa 1095, 1102
Myxomycetes 194–202, 650, 752, 753, 798, 1123

Naegleria sp. 195
Naematoloma 1070, 1071
sublateritum 941
Naemospora 169
Nakataea sigmoidea 728
Narashimella 1118
Nectria 535, 540, 542
galligena 229; haematococca var. cucurbitae 821

Nectriaceae 293
Neosartorya 1118
Neosecotium 6
Neurospora 700
crassa 229, 700, 703, 821
Nidularia pulvinata 944
Nigrocupula 311
formosana 311
Niptera sulfureo-tincta 1006
Nivatogastrium 6
Nodulisporium 914
Nomuraea rileyi 257, 259

Ochricompactae 976
Ochropsora 893
ariae 969, 973, 974
Octavianina 6
Oidiodendron chlamydosporicum 220; mauis 220; tenuissimum 220
Oidiopsis gossypii 442
Oidium 712
Oliveae 893
Olivea fimbriata 908; scitula 187; viticis 909
Olpidiopsis 545
Olpidium 545
brassicae 1046, 1047
Omphalia chrysophylla 1066
Omphalina 1065
Omphalotus 1067, 1068
Onygenaceae 115
Oomycetes 85, 93, 372, 545, 670
Ophiostoma 292–298
araucariae 297; **bacillisporum 297**; **brevicolla 297**; **distortum 297**; **dryocoetidis 297**; **franckegrosmanniae 297**; **huntii 297**; **megalobrunneum 297**; **nigrum 297**; **populinum 297**; **rostrocoronatum 297**; **seticolle 297**; **sparsum 297**; **tremuloaureum 298**
Ophiostomataceae 295
Orbilia pulviscula 1016
Orbiliopsis 1004
Oxyporus latemarginatus 549

Pachylepyrium 1072
funariophilum 1072
Paecilomyces 376, 621, 623, 914
carneus 220; farinosus 256, 257, 259; fumosoroseus 257, 258f; sp. 428
Panaeoloideae 1073
Panaeolus 551, 1071, 1072
alcides 551, 552f, 553f, 553, 554; sphinctrinus var. minor 551–553, 553f, 554
Panus tigrinus 567
Paradidymobotryum 570
oblongum 571f, **572**
Parodiopsidaceae 802
Patella gilva 682
Paxillaceae 1059
Paxillus 356, 1060, 1064, 1067, 1068
atrotomentosus 1067, 1068; panuoides 1067, 1068
Pelicothallos villosus 720
Penicillium 219, 224, 228, 229, 408, 409, 417, 418, 427, 873
aculeatum 219, 221, 222, 224, 226; asperosporum 222; aurantiogriseum 219, 222, 226; biforme 409; bilai 219, 221, 222, 224, 226, 228, 523–525, 527; brevicompactum 219, 222, 226; camembertii 409; "caseiphilum" 412, 415; charlesii 943; chrysogenum 527; citreonigrum 944; citreoviride 943, 944; citrinum 222, 226; coeruleoviride 219; commune 409; crustosum 408–410, 412, 413, 415–417; cyclopium 219; daleae 221, 222, 224, 226, 228, 523–525, 526f, 527; duclauxii 222, 226; fellutanum 230, 943; fellutanum? 221, 222, 224, 226; funiculosum 222, 226; fuscum 224; fuscum? 222, 226; glabrum 222, 226; granulatum 222, 226; griseolum 219; herquei 222, 226; janczewskii 219, 222, 226; janthinellum 222, 226, 229; mali 409; "melanochlorum" 410, 412–415, 417; melinii 219, 222, 226; miczynskii 221, 222, 224, 226, 230, 944; mirabile 219, 222, 226; montanense 222; nigricans 219; oxalicum 229; palitans 408, 409; pedemontanum 219, 944; pinetorum 222, 226; puberulum 222, 226, 409; purpurogenum 219, 222, 226; raistrickii 222, 224, 226; restrictum 219, 222, 224, 226; sclerotiorum 222, 226; simplicissimum 222, 226; solitum 219; spinulosum 222, 226, 229; sp. 1051, 1053, 1054f, 1055; spp. 428; stoloniferum 219; terlikowskii 219; terrestre 408–410, 412–416; thomii 222, 226; urticae 523; verrucosum 414; var. album 409; var. cyclopium 408, 409; var. melanochlorum 408, 409; vinaceum 222, 226; viridicatum 409; waksmanii 221, 222, 224, 226
Peniophora cinerea 549; cornea 45; gigantea subsp. cornea 45; longicystidia 45; resinosa 40, 47; spp. 549; tabacina 46; weiri 46
Periconia macrospinosa 310
Peridermium 345
harknessii 346
Peronophythora litchii 745, 746, 746f, 747
Peronospora 706, 707, 717, 745, 747
tabacina 99, 772
Peronosporaceae 705–707, 711, 714–716, 719
Petersenia sp. 426–428
Petriellidium boydii 60
Pezicula myrtellinoides 1015
Peziza 170
chlorinella 1013; deparcula 1018; leucella 1014, 1021; osmundae 1015; phalaridis 1004, 1021; puberula 1003, 1006, 1009, 1010, 1012; pulviscula 1016; punctata 1006, 1009; punctiformis 1003, 1006–1010; spiraeae 1019; ulmariae 1018
Pezizaceae 171, 748, 749
Pezizales 170–172, 454, 843
Pezizella 1013, 1020, 1021
acerina 1020, 1021; chlorinella 1013; chrysostigma 1015; deparcula 1011, 1018; pilosa 1010, 1012; populina 1010; puberula 1007, 1010, 1011; pulviscula 1016; punctiformis 1006; spiraeae 1019; vogelii 1010
Pezizoid series 5
Phacidium coronatum 1008
Phaeochaetia spinigera 802
Phaeocryptopus **saxegothene** 793, 799f, **801**

Phaeodimeriella psilostomatis 797
Phanerochaete cremea 9, 10, 14, 16; flavido-alba 548, 549
Phellinus weirii 609, 612
Phellorinia 6
Phialina 1018, 1011
deparcula 1018; plowrightii 1012, 1013; puberula 1003, 1006, 1009, 1010; rosea 1014; ulmariae 1018
Phialographium 295, 296
Phialophora 1004, 1107
cinerescens 428; dermatitidis 233, 241, 243; endoparasitica 1107, 1110; gougerotii 233; sp. 1017, 1018; **tribrachispora** 1108f, **1109**, 1109f, 1110; verrucosa 244
Phlebia 40, 41, 47
cornea 40, 45; expallens 354; longicystidia 40
Phlegmacium 1069
Phlyctochytrium 99, 132
aestuarii 132, 134, 136–138; mangrovii 136; plurigibbosum 136; punctatum 99, 804–808; sp. 132
Pholiota 6, 1068, 1070, 1071
aurivella 1070; destruens 1071; flammans 1070; lucifera 1070; mutabilis 1071; squarrosa 941; subcaerula 941, 942f; tuberculata 1070
Pholiotina 1072
Phoma 279
batatae 289; caricae-papayae 821; glomerata 428; phaseoli 289; subcircinata 279, 289
Phomopsis 274–289
batatae 274–289; phaseoli 274–289, 863–867; f. sp. caulivora 289; sojae 274–289, 863; viticola 523
Phycomelaina laminariae 426, 431
Phyllactinia 711, 712
Physarales 201, 650, 1125
Physarum apiculosporum 785, 788; cinereum 366, 367; compressum 366, 367; gyrosum 366, 368; polycephalum 194–201, 366, 752, 753, 789, 791; pusillum 366, 367; sp. 366, 367
Physciaceae 148
Physopella 709
hansfordii 181
Phytophthora 60, 424, 745, 747, 934
cactorum 95; cryptogea 120; drechsleri 115, 116f, 118f, 119f, 120; infestans 772–778; megasperma f. sp. medacaginis 924, 934; f. sp. glycinea 34–38; f. sp. sojae 34, 933; melonis 115–117, 119f, 120; nicotianae var. parasitica 116–118, 119f, 120; palmivora 85, 93, 95, 97, 116–118, 119f, 934; sinensis 115–117, 119f
Pichia membranaefaciens 60
Pileolaria 346, 347
phyllodiorum 333, 346
Pileolariaceae 893
Pisolithus tinctorium 609, 611–613, 951, 952
Placnoprotostelium aurantium 445, 446
Plasmodiophora brassicae 1041, 1046, 1075, 1085, 1086
Plasmodiophoromycetes 1046, 1075, 1087
Plasmopara 706, 707, 717
Platygloea unispora 354
Pleospora herbarum 820
Pleurotus 760, 1067
cystidiosus 549; nidulans 1066; sapidus 548, 549
Plicaria 748
Pluteaceae 1059, 1061, 1062, 1072
Pluteales 1059, 1061, 1062, 1072
Pluteus 1062
cervinus 941
Podaxis 6
Poliotelium 909
hyalospora 347; iresines 909
Polymyxa betae 1075, 1085
Polypaecilum 1118
Polyphagus euglenae 1039, 1041, 1042f–1045f, 1046, 1047
Polyporaceae 1059
Polyporus 1060
arcularius 549; supinus 549; tomentosus 60
Polystictus versicolor 229
Poronia punctata 1007, 1009
Pratelli 1070
Protostelium expulosum 446; irregularis 446; mycophaga 443–446; **nocturnum 443**, 444f, 445, 446; pyriformis 884, 891; zonatum 884, 888, 889, 891
Psathyrella 639, 1071
Pseudochuppia 163, 165
sarcinispora 163, 164f, 165
Pseudohelotium deparculum 1018; puberulum 1006, 1010; punctiforme 1006
Psilocybe semilanceata 941
Puccinia 345, 709, 710, 713
abutili 184; aframomi 187; africana 180; dioicae 717; erythroxyli 897; galopinae 168; hieracii 717; kraussiana 184; malvacearum 479, 482, 483, 493, 495–499; ocimi 181; striiformis 609, 611, 612; versicolor 186; zorniae 182
Pucciniaceae 893
Pucciniosira 709
Pycnoporus cinnabarinus 369–372
Pyrenomycetes 23, 166
Pyrenophora 513
Pyrenotrichum 108
Pyronema araneosum 846; domesticum 820–828; omphalodes 821
Pyronemataceae 170, 171, 751
Pyronemella 846, 848
araneosa 846, 847f, 848; f. canina 846, 848; limnophila 846; monilifera 846, 848
Pythiaceae 924
Pythium aphanidermatum 93, 924, 933, 934; spp. 1075; ultimum 924, 925f, 926, 927f–930f, 931, 932f, 933, 934
Pyxidiophoraceae 293

Ravenelia minima 182; ornata 183; spegazziniana 344; talpa 183
Ravenelieae 893
Rhinocladium anceps 220
Rhizoctonia 936–939
solani 609, 612, 731, 936–939, 1050, 1053, 1054f, 1055, 1056
Rhizomucor 1089
miehei 1089, 1092, 1093; pusillus 1089–1093

Rhizophagites butleri 854
Rhizophydium 132
aestuarii 136f, **138**; **littoreum** 135f, **137**
Rhizopogon 5
colossus 609, 611, 613; rubescens 951–953; spp. 759; subcaerulescens 759
Rhizopus 567, 568
arrhizus 567; chinensis 567; circinans 567; japonicus 567; kazanensis 567; oryzae 567, 568; pygmaeus 567; stolonifera 567; tritici 567, 568
Rhodophyllaceae 1060–1062, 1072
Rhodophyllus 1062
Rhodosporidium 268
Rhodotorula 12, 268, 443, 445
glutinis 268, 270; mucilaginosa 443
Rhynchosporium oryzae 1111, 1112
Ripartites 1059
Rosellinia 1114
Rozella 1046
polyphagi 1039–1041, 1042f–1045f, 1046, 1047
Ruhlandiella 748
Russula 2, 3, 975, 979, 1060
aciculocystis 978f, 988, 989f, **990**, 991, 993, 999f; alachuana 985, 988; amoena 988; anomala 941; ballouii 977f, 982f, 983–985, 999f; burlinghamae 985; camarophylla 983; claroflava 994, 995f, 996, 997; earlei 977f, 980f, 981, 983, 999f; emetica 358; flava 997; flavida 978f, 992f, 993, 994, 999f; incarnata 983; insignis 985; mariae 978f, 985, 986f, 987, 988, 991, 993, 999f; var. flavida 993; mexicana 1001; morgani 983; **ochricompacta 976**, 977f, 979, 980f, 999f; ochroleucoides 994; rosacea 1000; sanguinea 979f, 997, 998f, 1000, 1001; subcyanoxantha 985; subviridella 985; tennesseensis 983, 985; vinosa 997
Russulaceae 2, 357, 1060
Russulales 2, 1059, 1060, 1063

Saccharomyces 533
cerevisae 1125; cereviseae [*sic*] 495; fragilis 60
Salmonia malachrae 441
Saprolegnia 603, 673
australis 373; diclina 373; ferax 93, 934; furcata 93, 95
Saprolegniaceae 372
Sarcinella 165
Sarcoscyphaceae 171
Sarcosomataceae 171
Sarcosphaera 5
Scabropeziza 748
Schizochytrium aggregatum 631
Schizophyllum commune 548, 549, 567, 700–703, 760–762
Sclerocystis sinuosa 122, 124
Sclerogaster xerophilum 759
Sclerospora philippinensis 719; sorghi 99
Sclerotinia 315, 318, 319
sclerotiorum 318, 821; trifoliorum 821
Sclerotiniaceae 314, 315
Sclerotium hydrophilum 722–724, 725f, 726, 727f, 728–731; oryzae 722, 727f, 728–730; quercinum 1008; rolfsii 947–949; zizaniae 722, 728–731
Scopella 892, 893
amazonensis 898; aulica 904; bauhiniicola 899; cryptostegiae 902; dalbergiae 901; echinulata 904; fici 905; gentilis 905; jarini 902; lombiroensis 902; kevorkianii 906; mimusops 907; palaqui 907; payenae 907; quadrilobata 908
Scopellopsis 893, 901
dalbergiae 901
Scrobiculati 145, 146
Scytalidium 216, 217
acidophilum 216; album 216; aurantiacum 216; flavobrunneum 216; **fulvum** 213f, **214**, 215f, 216; lignicola 216; thermophilum 216, 217
Section Boleti 4, 5; Prostrata 623; Subtomentosi 6
Sedecula 6
pulvinata 759
Septoria 364
Series Lacerae 735
Setchelliogaster 6
Smittium 208
arcticum 208; culisetae 210; **gigasporus 206**, 207f, 208, 210; longisporum 208; **ouseli 208**, 209f, 210
Sorataea baphiae 183; ostryoderridis 183
Sordariaceae 751
Sorodiplophrys 626
stercorea 627, 628f, 629, 631, 632
Sorosphaera veronicae 1075, 1085, 1086
Spegazzinia 310
tessarthra 310
Sphacelia 1095, 1098, 1101–1103
Sphaeria (Cordyceps) adscendens 31; cornu-damae 27
Sphaeria euspina 283; flabelliformis 914, 917, 919; mutila 508; phaseolorum 283, 289; poitei 921
Sphaeriales 166, 956
Sphaerobolus iowensis 944, 945, 945f, 946; stellatus 944
Sphaeronaemella 293, 296; helvellae 293
Sphaeropsis vaginarum 730
Sphaerosoma 748
fuscescens 171
Sphaerospora minuta 455, 457
Sphaerosporella 675, 848
brunnea 454–460
Sphaerotheca 711, 712
Sphaerozone 748
Spizellomyces punctatum 99–104, 105f, 105, 106
Spongipellis pachyodon 549
Sporidiobolus 12
Sporopodium 108
Sporothrix inflata 220
Stachylina 204, 205, 208
euthena 205, 206; **lotica 205**, 206f, 208, 210; **manicata 204**, 205f, 208; sp. 208, 210
Stemonitales 1123
Stemonitis flavogenita 366–368, 1123, 1124f, 1125
Stenocarpella macrospora 1050; maydis 1050
Stereum complicatum 549; sp. 549
Stirps Minima 735
Streptomyces sp. 1051, 1054f, 1056, 1057
Strobilomycetaceae 1059

Stropharia 6, 1070, 1071
hornemannii 941
Strophariaceae 868, 1059, 1068–1072
Subsection Boleti 4; Luridi 5
Suillus 4, 5, 433, 580
albidipes 433–437, 585; americanus 579–582, 586f, 588, 589, 590f, 595, 596; brevipes 437, 579–582, 584, 584f, 585, 586f, 587, 590f, 592, 593, 595, 596; glandulosipes 437; granulatus 433, 436, 437, 579–582, 584f, 585, 590f, 593, 596; var. albidipes 434; lutens 579–582, 584f, 586f, 951, 952; **neoalbidipes** 433, **434**, 435f, 436, 437, 579–583, 585, 586f, 588; pictus 579–582, 589f, 589, 590f; punctipes 579–582, 590f, 594, 595; riparius 4; subolivaceous 597; tomentosus 4, 455, 457
Swartzia 902
Syzygospora 9, 21
alba 9, 21
Syzygosporaceae 21

Tapellaria 108
Tapinia 1060
Teliomycetes 498
Tenaces 1070
Tetrachaetum elegans 399, 400, 402, 404–406
Tetragoniomyces uliginosus 14
Thaxterogaster 4
pingue 4
Thelephora liliputiana 914, 919; rosella 914, 919; terrestris 951, 952; viridis 46
Thermoascus 376, 379
aegyptiacus 376; aurantiacus 376, 379; crustaceus 376, 377f, 378f, 379; thermophilus 376
Thermomucor indicae-seudaticae 1090, 1093
Thielaviopsis basicola 743
Thraustochytrium aureum 804; roseum 804; spp. 631
Thraustotheca clavata 373
Tilletia 53–60
caries 51–61, 609, 611, 612; controversa 51–61, 609, 611; foetida 59
Tilletiales 497, 500
Tilletiaria anomala 500
Tolypocladium 621, 1107
Torrendia 6
Torula bergeri 243; dimidiata 216; sp. 233
Torulomyces lagena 220
Trametes versicolor 229
Tranzschelia pruni-spinosae 973, 974; spp. 969
Tremella 12
mesenterica 11, 12; mycetophila 9; rhytidhysterii 14
Tricharia 108, 110, 112
albostrigosa 112, 114; armata 114; carnea 112, 113; cretacea 113; **demoulinii 109**, 109f, 110, 112, 113; dilitata 114; **elegans 110**, 111f, 113; farinosa 113; helminthospora 113; **novoguineensis** 111f, **112**, 113; pallida 113; plana 114; santessonii 113; similis 113; substipitata 110, 113; triseptata 113; urceolata 113; vainioi 112, 113; vezdae 113; vulgaris 113
Tricharina 675, 681, 682
gilva 681; **mikolae** 675, 676, 677f, **678**, 679f, 680–682; praecox 681
Trichia favoginea 663
Trichocladium opacum 220
Trichocomaceae 1118
Trichoderma 873–876, 882, 936, 938, 939
aureoviride 220; hamatum 873–876, 877f, 879f, 880f, 882; koningii 220, 873–876, 877f, 879f–881f, 882; polysporum 873–876, 877f, 878f, 882; pseudokoningii 220, 230; sp. 873–876, 878f, 880f, 881f, 882, 1053, 1054f, 1055, 1057; viride 873–876, 878f, 881f, 882
Tricholomataceae 1059
Tricholomatales 1059, 1061, 1062, 1064–1067
Tricholomopsis platyphylla 350, 351
Trichomycetes 204
Trichopeziza osmundae 1015
Trichophaea 675, 848
contradicta 455, 457, 459
Trichophyton rubrum 60
Trichosporonoides oedocephalis 12
Tricothecium cystosporium 559; polybrochum 562
Truncocolumella 5
Tuber 6
spp. 759
Tuberales 170, 171
Tuberculariaceae 1101
Tuberculina maxima 333
Tulasnella aranosa 462, 463, 464f, 465, 466; sp. 498
Tylopilus 4
felleus 951, 952; humilis 4
Typhodium 1102

Uncinula 711, 713
Urceola punctata 1006
Urceolella acerina 1020; puberula 1006, 1010; spiraeae 1019
Uredinales 498, 499, 705, 708–711, 714–716, 892–909, 969
Uredinopsis osmundae 499
Uredo 706, 710
bauhiniicola 899; cryptostegiae 902; ichnocarpi 897; lonchocarpi 899; palaquii 907; sebastianiae 897; sp. 179, 187, 344
Uredopeltis congensis 180
Uromyces 345, 705, 710, 713, 715, 717, 892
achrous 898; **africanus 909**; alöes 346; **ascotela 909**; aulicus 904, 907; bicinctus 347; digitatus 333, 334, 335f–337f, 337–339, 344, 346–348; echinulatus 904; elatus 909; gentilis 905; hyalospora 347, 909; iresines 347; koae 332, 333, 335f, 338, 344, 346–348; mimusops 907; payenae 907; phaseoli 496, 499; phyllodiae 333, 339; phyllodiorum 333, 338; pressus 909; purus 909; tener 904; vignae 184
Uromycladium 347
Uropyxis petalostemonis 339
Ustilaginaceae 493
Ustilaginales 11, 493, 497–500
Ustilago 468, 479
maydis 468, 469, 470f, 471, 472f–474f, 475, 476f, 477, 478f, 479, 480f, 481f, 482–484, 486,

487, 488f, 489, 489f, 490f, 491, 492f, 493–500; scitaminea 60, 609, 611, 612; sieglingiae 1118, 1119f, 1120; triplasidis 1120; violacea 479, 482, 483, 486, 491, 497

Veralucia brasiliensis 719
Verticicladiella 292
Verticillium 621, 623, 936–939
  balanoides 621; bigutatum 939; dahliae 60; lamellicola 936, 937; lecani 256, 936, 937, 938f, 939; microsporum 621; nigrescens 937, 938f, 939; psalliotae 220, 936, 937, 938f; sp. 259, 1050; tenerum 937, 938, 938f, 939
Viennotidea 293
Viscipelles 1070
Volvariaceae 1059, 1060
Volvariella speciosa 941
Vuilleminia 354
  megalospora 354

Wangiella dermatitidis 232–246, 268–272
Wentiomyces melioloides 802
Weraroa 6
Woronina pythii 1075–1076, 1077f–1080f, 1081, 1082f, 1083f, 1084–1087

Xerocarpus laeticolor 46
Xylaria 23, 28, 912–922, 1114
  acuta 23, 24f, 25, 26f, 27, 29f, 31; adscendens 27, 29f, 31, 32; allantoidea 915f, 917, 918f, 920, 921; bulbosa 27, 913; castorea 917, 920; conocephala 921; corniculata 30; corniformis 913, 914, 919, 920; cornu-damae 24f, 25, 26f, 27, 28, 29f, 30, 31; cristulata 31, 32; cubensis 912–914, 915f, 916f, 918f, 920, 921; curta 913; digitata 23, 24f, 25, 30, 31; var. americana 27; var. tenuis 27; flabelliformis 914; fusca 912; hercules 921, 922; hypoxylon 25, 32; subsp. adscendens 31; laurentii 30; longiana (longeana) 31; lutea 30; mali 26f, 30–32; morgani 921, 922; nigripes 920; papyrifera 912, 920; poitei 912, 915f, 918f, 921, 922; polymorpha 31; scruposa 28; sp. 549; titan 921
Xylariaceae 23, 1113
Xylocoremium 913, 914; **flabelliforme** 912, **914**, 916f, 917, 918f, 919–921
Xylosphaera adscendens 31; cornu-damae 27; hypoxylon subsp. adscendens 31; papyrifera 912, 920
Xynophila 1118
  mephitalis 1118

Zalerion maritimum 427, 428
Zelleromyces 3
Zukalia coronata 802; inermis 793, 797
Zygomycetes 190

HOST INDEX

The Host Index includes familial or generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abies
  Suillus albidipes 585
Abrus
  Ravenelia ornata 183
Abutilon
  Phomopsis sojae 274
Acacia
  Endoraecium acaciae 339; hawaiiense 343
  Maravalia hyalospora 909
  Uromyces koae 332; digitatus 333
Achras
  Maravalia bolivarensis 896, 904; sapotae 896, 904, 908
Adenia
  Aecidium bomolense 185
Adineta
  Phialophora tribrachispora 1107
Aedes
  Culicinomyces clavisporus 614
  Leptolegnia chapmanii 670, 673
Aframomum
  Puccinia aframomi 188
Agropyron
  mycorrhizal fungi and 261–267
Agrostis
  Epichloë typhina 1096
Albizzia
  Ravenelia minima 183
Alchornea
  Physopella hansfordii 181
Alisma
  Sclerotium hydrophilum 728
Alnus
  Gyrodon lividus 575
Alpinia
  VAM fungi 754
Ampelidaceae
  Uredo sp. 179
Anacardiaceae
  Uredo sp. 179
Andropogon
  Balansia henningsiana 1096
  Entrophospora colombiana 695
  Glomus manihotis 695
Anemone
  Ceraceopsora elaeagni 969
Anopheles
  Culicinomyces clavisporus 614
Aphelenchus
  Arthrobotrys constringens 559
  Dactylella multiformis 563

Apis
Ascosphaera apis 830
Apocynaceae
Hemileia deightonii 180
Araucaria
Suillus, ectomycorrhizal with 582
Arbutus
Suillus, ectomycorrhizal with 582
Arctostaphylos
Suillus, ectomycorrhizal with 582
Asclepiadaceae
Aecidium nummulare 180
Asteraceae
dimeriaceous fungi 802
downy mildew genera on 705, 707
powdery mildew genera on 705, 712, 713
rust genera on 705, 708–710

Bauhinia
Maravalia bauhiniicola 896, 899
Baphia
Sorataea baphiae 183
Bdelloid rotifers
Phialophora tribrachispora 1109
Bignoniaceae
Uredopeltis congensis 180
Brachiaria
Sclerotium hydrophilum 728
Bryopsis
Phlyctochytrium sp. 132
Rhizophydium littoreum 138

Calamagrostis
Hyalothydidium calamagrostidis 508
Canthium
Hemileia canthii 186
Puccinia versicolor 187
Capnodium
Dimerosporium coronatum 797
Carya
Cladosporium caryigenum 326
Cassava
Entrophospora colombiana 694
Glomus manihotis 695
Castanea
Cryphonectria parasitica 387
Endothia parasitica 387
Ceropegia
Aecidium nummulare 180
Chasmanthium
Balansia epichloë 1096; pilulaeformis 1096
Chassalia
Uredo sp. 187
Chiococca
Eumela chiococcae 794
Chironomidae
Stachylina manicata 204
Cissus
Uredo sp. 179
Codium
Phlyctochytrium sp. 132
Rhizophydium littoreum 138
Coffea
Balladyna parva 801
Coleus
Glomus manihotis 696
Collybia
Christiansenia effibulata 9; tumefaciens 9
Tremella mycetophila 9
Compositae
downy mildew genera on 705, 707
powdery mildew genera on 705, 712, 713
Puccinia africana 180
rust genera on 705, 708–710
Corchorus
Cerotelium corchori 187
Cordia
Lasiostemma cordiicolum 800
Corn
Aspergillus flavus 503
Ustilago maydis 468
Costus
VAM fungi 754
Cotton
Aspergillus flavus 666
Crotalaria
Maravalia crotalariae 896, 899
Cryptostegia
Maravalia cryptostegiae 896, 902
Culex
Leptolegnia chapmanii 673
Culiseta
Culicinomyces clavisporum 614
Cucumis
Phytophthora drechsleri 115
Curcuma
VAM fungi 754
Cuviera
Aecidium ancylanthi 186
Cydonia
Monilinia fructigena 316

Dalbergia
Diorchidium quadrifidum 182
Maravalia achroa 896, 898; pterocarpi 896, 901
Danthonia
Atkinsonella hypoxylon 1096
Dendrocalamus
Ceratochaetopsis dendrocalami 802
Dimerosporium
Dimerium sp. 797
?Saccardomyces sp. 797

Echinochloa
Sclerotium hydrophilum 728
Elaeagnus
Ceraceopsora elaeagni 969
Eleusine
Sclerotium hydrophilum 728
Entada
Brasiliomyces entadae 441
Ericaceae
Monilinia species 314
Eriobotrya
Monilinia fructigena 316
Erythroxylon
Maravalia erythroxylii 896, 897

Euglena
Polyphagus euglenae 1039
Eukiefferiella
Smittium ouseli 208
Euphorbiaceae
Kernkampella phyllanthi 181
Physopella hansfordii 181

Fadogia
Aecidium sp. 185
Faramea
Maravalia guianensis 896, 903

Glyceria
Sclerotium hydrophilum 728; oryzae 729
Glycine
Phomopsis sojae 274
Gossypium
Brasiliomyces malachrae 441
Gramineae
Epipolaeum sydowii 801
Grasses
Acaulospora appendicula 689; longula 689; millea 692
Entrophospora colombiana 694
Grewia
Pseudochuppia sarcinispora 163

Halophytic vegetation
mycorrhizal associations in 75–83
Hedychium
VAM fungi 754
Heterodera
Chalara hyalina 211
Scytalidium fulvum 214
Hibiscus
Hyalothyridium nakatae 507
Host index, rust fungi 188
Hygrophila
Maravalia hygrophilae 896

Ichnocarpus
Maravalia ichnocarpi 896, 897
Ipomoea
Phomopsis batatae 274

Juglandaceae
Mycosphaerella caryigena 363; dendroides 363; punctiformis 363
Juglans
Cylindrosporium juglandis 362
Mycosphaerella juglandis 363

Kudzu
Acaulospora appendicula 689

Labiatae
Puccinia ocimi 181
Laminaria
Phycomelaina laminariae 426, 431
Larix
Sphaerosporella brunnea 454, 457
Suillus, ectomycorrhizal with 582

Leguminosae
Diorchidium quadrifidum 182
Puccinia zorniae 182
Ravenelia minima 182; ornata 183; talpa 183
Sorataea baphiae 183; ostryoderridis 183
Uromyces vignae 184
Leonurus
Phomopsis sojae 274
Leucaena
Maravalia pterocarpi 896, 901
Liliaceae
Endocalyx species 311
Puccinia abutili 183; kraussiana 184
Litchi
Peronophythora litchii 745
Lonchocarpus
Maravalia lonchocarpi 896, 900
Lucuma
Maravalia lucumae 896, 906

Macrotermes
Cordycepioideus bisporus 763
Madhuca
Maravalia echinulata 896, 905
Malachra
Erysiphe malachrae 441
Malus
Glomus manihotis 695
Monilinia fructicola 316; fructigena 316; mali 317
Malvastrum
Brasiliomyces malvastri 441
Manettia
Maravalia manettiae 896, 903
Manihot
Glomus manihotis 695
Maruina
Stachylina lotica 205
Megachile
Ascosphaera aggregata 831
Meliolaceous mycelium
Dimerium inermis 707
Millettia
Maravalia millettiae 896, 900; millettiicola 896, 900
Mimusops
Maravalia aulica 896, 904; gentilis 896, 906; kevorkianii 896, 906; mimusops 896, 907
Myrica
Laeticorticium floridense 531
Myriophyllum
Sclerotium hydrophilum 726, 728

Nicolaia
VAM fungi 754
Nuphar
Sclerotium hydrophilum 728
Nymphaea
Sclerotium hydrophilum 728

Ocimum
Puccinia ocimi 182
Oryza
Sclerotium hydrophilum 728

Ostryoderridis
Sorataea ostryoderridis 184

Pagastia
Smittium gigasporus 208
Palaquium
Maravalia palaquii 896, 907
Palmae
Endocalyx species 311
Panicum
Balansia strangulans 1096
Paspalum
Acaulospora foveata 685; morrowae 692; mellea 692
Entrophospora colombiana 694
Glomus manihotis 695
Sclerotium hydrophilum 728
Passifloraceae
Aecidium bomolense 185
Payena
Maravalia payenae 896, 908
Pentopetia
Maravalia sp. 896, 903
Phanerochaete
Christiansenia pallida 9
Phaseolus
Phomopsis phaseoli 275
Phyllanthus
Kernkampella phyllanthi 181
Plectronia
Balladyna psilostomatis 798
Picea
Sphaerosporella brunnea 474, 457
Pinaceae
dimeriaceous fungi 801
Phaeocryptopus araucariae 801; australis 801; gaeumannii 801; nudus 801; pinastri 801; saxegotheae 801
Pinus
Ectomycorrhizal fungi 759
Sphaerosporella brunnea 454–460
Suillus, ectomycorrhizal with 582, 583
Tricharina mikolae 678
Pithecellobium
Maravalia pallida 896, 901
Poaceae
dimeriaceous fungi 801, 802
Populus
Sphaerosporella brunnea 454, 457
Prunus
Molininia fructicola 316; kusanoi 317; laxa 316; mume 317
Pseudotsuga
Suillus, ectomycorrhizal with 582
Psilostoma
Balladyna psilostomatis 798
Pterocarpus
Maravalia exigua 896, 899; pterocarpi 896, 901
Pyrus
Monilinia fructigena 316
Pythium
Woronina pythii 1075

Quercus
Suillus, ectomycorrhizal with 583

Randia
Eumella pannosa 796
Rosaceae
Monilinia species 314
Rubiaceae
Aecidium ancylanthii 186; sp. 186
dimeriaceous fungi 793–802
Dimerosporium crustaceum 800
Hemileia canthii 186
Puccinia galopinae 186; versicolor 186
Uredo sp. 187
Rytigynia
Aecidium sp. 186

Sagittaria
Sclerotium hydrophilum 728
Sapotaceae
Maravalia fici 905
Scolytus
Metarhizium anisopliae 259
Sebastiania
Maravalia sebastianiae 896
Secale
Claviceps purpurea 1096
Smilax
Puccinia kraussiana 184
Sorbus
Monilinia aucupariae 317; fructigena 316
Sorghum
Glomus manihotis 695
Sphenopholis
Epichloë typhina 1096
Spilanthes
Puccinia africana 181
Spirodela
Sclerotium hydrophilum 728
Spondias
Cerotelium alienum 180
Sugarcane
Ustilago scitaminea 609
Swartzia
Maravalia amazonensis 896, 898; swartziae 896, 902

Taxaceae
dimeriaceous fungi 801
Phaeocryptopus podocarpii 801
Tenuirostritermes
Cordycepioideus ostosporus 763
Tephrosia
Ravenelia talpa 183
Tiliaceae
Cerotelium corchori 187
Trapa
Sclerotium hydrophilum 728
Triplasis
Ustilago sieglingiae 1118; triplasidis 1120

Vaccinium
Laeticorticium efibulatum 530
Monilinia oxycocci 317; urnula 317
Verbenaceae
Olivea scitula 187

Victeria
  Puccinia galopinae 186
Vigna
  Uromyces vignae 184
Vitaceae
  Endocalyx species 311
Vitex
  Maravalia quadrilobata 896, 908
  Olivea scitula 187
Vitis
  Laeticorticium cremeo-albidum 529
Voacanga
  Hemileia deightonii 180

Wheat
  Puccinia striiformis 609
  Tilletia caries 609; controversa 609
Wissadula
  Puccinia abutili 185

Zea
  Hyalothyridium maydis 506–513
Zingiber
  VAM fungi 754
Zingiberaceae
  mycorrhizal fungi 754
  Puccinia aframomi 187
Zizania
  Doassansia zizaniae 730
  Sclerotium hydrophilum 722, 723–728; oryzae 728–730; zizaniae 730, 731
Zizaniopsis
  Sclerotium hydrophilum 728
Zornia
  Puccinia zorniae 182